



Digitized by the Internet Archive in 2011 with funding from LYRASIS members and Sloan Foundation



43 .E22 no.209

Connecticut Agricultural Experiment Station

NEW HAVEN, CONN.

BULLETIN 209

DECEMBER, 1918

Fertilizer Report for 1918

By E. H. JENKINS, Director, and E. MONROE BAILEY, Chemist In Charge of the Analytical Laboratory.

CONTENTS

						Page
Raw	Materials	Chiefly	Valuable	e for	Nitrogen	. 125
44	64	44	44	64	Phosphoric Acid	. 128
44	44	64	44		Potash	. 130
44	44	64	44	44	Nitrogen and Phosphoric Acid	. 133
Nitro	genous Fe	rtilizers,	Factory	Mix	ed	. 138
Misc	ellaneous I	Fertilizer	·s			. 162

The Bulletins of this Station are mailed free to citizens of Connecticut who apply for them, and to others as far as the editions permit.

CONNECTICUT AGRICULTURAL EXPERIMENT STATION.

OFFICERS AND STAFF

December, 1918.

BOARD OF CONTROL.

	BOILLE OF CONTROL.
His Excellence	ey, Marcus H. Holcomb, ex-officio, President.
James H. Webb, Vic	e President
George A. Hopson, S	Secretary
E. H. Jenkins, Direct	for and TreasurerNew Haven
Joseph W. Alsop	Avon
Wilson H. Lee	Orange
Elijah Rogers	
W. H. Hall	So. Willington
Administration.	E. H. Jenkins, Ph.D., Director and Treasurer. Miss V. E. Cole, Librarian and Stenographer. Miss L. M. Brautlecht, Bookkeeper and Stenographer. William Veitch, In charge of Buildings and Grounds.
Chemistry. Analytical Laboratory.	*John Phillips Street, M.S. E. Monroe Balley, Ph.D., Chemist in charge. *C. B. Morison, B.S., C. E. Shepard, M. D'Esopo, Ph.B., H. D. Edmond, B.S., Frank Sheldon, Laboratory Assistant. V. L. Churchill, Sampling Agent. Miss Alta H. Moss, Stenographer.
Protein Research.	T. B. Osborne, Ph.D., D.Sc., Chemist in Charge. Miss E. L. Ferry, M.S., Assistant.
Botany.	G. P. CLINTON, Sc.D., Botanist. E. M. Stoddard, B.S., Assistant Botanist. MISS F. A. McCormick, Ph.D., Scientific Assistant. G. E. Graham, General Assistant.
Entomology.	W. E. Britton, Ph.D., Entomologist: State Entomologist. B. H. Walden, B.Agr., First Assistant. M. P. Zappe, B.S., *I. W. Davis, B.Sc., Assistants. Miss Martha deBussy, Stenographer.
Forestry.	Walter O. Filley, Forester: also State Forester and State Forest Fire Warden. A. E. Moss, M.F., Assistant State and Station Forester. Miss E. L. Avery, Stenographer.
Plant Breeding	DONALD F. JONES, M.S., Plant Breeder. C. D. Hubbell, Assistant.
Vegetable Growing.	W. C. Pelton, B.S.

^{*} Absent on leave, In U. S. Service.

Report on Commercial Fertilizers, 1918.

By E. H. Jenkins, Director, and E. M. Bailey, Chemist in Charge of the Analytical Laboratory.

In 1918, forty-three individuals and firms entered 342 brands of fertilizers for sale in this State, classified as follows:

Nitrogenous superphosphates with potash	132
Nitrogenous superphosphates without potash	151
Bone manures and tankage	24
Fish, castor pomace, chemicals and miscellaneous	35
Total	342

During the spring months Mr. Churchill, the Station's agent, visited about 100 towns and villages in the State and gathered 466 samples. These represented all the registered brands except the following:

Alpha Portland Cement Co.'s Alpha Potash-Lime; * American Agricultural Chemical Co.'s Grain and Seeding Fertilizer, Pulverized Sheep Manure, Top Dresser, 1916, Bradley's Tobacco Manure, 1916, East India Economizer Phosphate, 1916, Roanoke Phosphate, 1916, Tobacco Special, 1916, Unexcelled Fertilizer, 1916, Packers' Union Animal Corn Fertilizer, 1916, Potato Manure, 1916, Quinnipiac Wrapper Leaf Brand Tobacco Manure, 1916, Wheeler's Potato Manure, 1916, Williams & Clark's Matchless Fertilizer, 1916, Seed Leaf Tobacco Manure, 1916; Brown's Oats & Top Dressing; Essex Tobacco Manure; Fertile Chemical Co.'s Nitro-Fertile;† Frisbie's 4-8-2;‡ Lister's Ammoniated Dissolved Superphosphate, Complete Tobacco Manure, 1916, 1-8-2 Fertilizer, Success Fertilizer, 1916; Lowell High Grade 5-8; National Ammoniated Phosphate, 1916, Extra High Grade Potato Fertilizer, High Grade Top Dressing without Potash; New England H. G. Potato Fertilizer; Parmenter & Polsey's Special Tobacco & Onion Grower; Royster's Pipe of Peace Tobacco

^{*} A sample sent by manufacturer was analyzed.

[†] A sample sent by manufacturer was analyzed, also one sent by purchaser.

[‡] A sample sent by purchaser was analyzed.

Fertilizer; Worcester Rendering Co.'s Royal Worcester Corn & Grain Fertilizer.

Of the 31 brands not found on sale, 16 were not sold in the state. Of the remaining 15 brands, 2 manufacturer's samples were analyzed and 1 purchaser's sample was examined.

CLASSIFICATION OF FERTILIZERS ANALYZED.	Number of
1. Containing nitrogen as the chief active ingredient:	Samples
Nitrate of soda	7
Cotton-seed meal	
Castor pomace	5 .
2. Containing phosphoric acid as the chief active ingredient:	
Basic lime phosphate	1
Precipitated bone phosphate	1
Acid phosphate	
Barium phosphate	1
3. Containing potash as the chief active ingredient:	
Muriate of potash	6
Sulphate of potash	1
Kainit	
Cotton-hull ashes	
"Feldspar potash"	1
Potash-Lime Fertilizer	1
4. Containing nitrogen and phosphoric acid:	
Fish manures	
Slaughterhouse tankage	
Mixed bone and tankage	
Garbage tankage	
Bone manures.	20
5. Mixed fertilizers:	
Nitrogenous superphosphates	267
6. Miscellaneous fertilizers and waste products:	
Sheep manure	10
Rabbit manure	1
Bat guano	
Wood ashes	
Lime and limekiln ashes	
Tobacco stems and dust	
Lime-Fertile and Nitro-Fertile	$\frac{4}{76}$
Other miscenaneous materials	
Total	526

I. RAW MATERIALS CHIEFLY VALUABLE FOR NITROGEN.

NITRATE OF SODA.

The nitrate sold in this State in 1918 has maintained the usual quality having an average content of 15.49 per cent. of nitrogen.

Seven samples were analyzed as follows:

10955. Sold by Berkshire Fertilizer Co., Bridgeport. Old stock of W. H. Burr, Westport.

10708. Sold by Nitrate Agencies Co., New York. Stock of A. G. Ross, Bridgeport.

10709. Sold by American Agricultural Chemical Co., New York. Stock of F. S. Bidwell Co., Windsor Locks.

10870. Sold by Apothecaries Hall Co., Waterbury, Sampled at Factory.

*9714 and 9715. Stock of Brainard Nursery & Seed Co., Thompsonville.

10710. Sold by Sanderson Fertilizer & Chemical Co., New Haven. Sampled at Station Farm, Mt. Carmel.

ANALYSES OF NITRATE OF SODA.

Station No	10955	10708	10709	10870	9714	9715	10710
Per cent. of							
Nitrogen guaranteed	14.80	15.00	15.00	15.00			15.00
Nitrogen found	15.20	15.48	15.24	15.35	15.96	15.98	15.24
Cost per ton	\$67.66	100.00	100.00	113.00			
Nitrogen costs cents	,						
per pound	22.3	32.3	32.8	36.8			

Two of the samples contain at least one-half per cent. more nitrogen than is usually found in this article.

The price of 10955 is not a current price.

The market price of nitrogen in this form during the year has ranged from 32 to 37 cents and even higher.

COTTON SEED MEAL.

Only 56 samples of this material have been sent for analysis, a smaller number than in any other recent year. Of these analyses only those which failed to meet the claims of the seller, eleven in number, are given in table, page 127.

^{*} Not sampled by station agent.

The percentage of nitrogen ranged from 5.12 to 7.02, the average of all samples being 5.98 per cent. The average cost per ton of the 56 samples was \$57.41 and in most cases represents deliveries in car lots.

Cotton seed meal contains about 2.9 per cent. of phosphoric acid and 1.9 per cent. of potash. If these are valued at 5 and 30 cents respectively,

the average cost of nitrogen in cotton seed meal in 1918 has been about 36 cents per pound.

The average figures for the last six years have been:

Year.	Number Analyzed.	Cost per Ton.	Per cent. Nitrogen.	Nitrogen Cost cents per Pound.
1913	315	\$33.00	6.89	20.7
1914	224		6.77	21.6
1915	182		6.96	19.9
1916	177	39.52	6.65	20.9
1917	95	44.20	6.10	26.5
1918	56	57.41	5.98	36.0

Much less unmixed cotton seed meal has been used as a fertilizer this year in this State. The reasons are several. It was sold on sight draft instead of arrival draft and buyers did not care to assume the risk of over charges in freight, loss from rough handling, etc.

Shortage of labor made the work of home mixing more difficult and led many to use only factory mixed fertilizers.

The higher price and lower content of nitrogen also lessened the demand and freight congestion made deliveries uncertain.

The steady deterioration in the quality of the meal is evident from the figures given above. It may be explained by the facts that because of the high price of cotton, the seed has been closely ginned to secure all the cotton possible, and where the seed is nearly "bald" the removal of the hulls is not so complete as where there is considerable fibre left on them.

It is also stated that the removal of oil is more complete where a larger amount of hull is left with the meal and, finally, there seems to be a tendency to reduce meal generally to a basis of 36 per cent. of protein (5.76 per cent. nitrogen).

At the time of writing, early December, 43 per cent. meal is quoted in Kansas City at \$67.00 which, with the usual allowance for phosphoric acid and potash, makes nitrogen cost over 38

COTTON SEED MEALS BELOW GUARANTY.

				cent.	
Station No.	Manufacturer or Jobber, Car No. or Marks.	Purchased, Sampled or Sent by	Found.	Guaranteed.	Cost per ton.
	American Cotton Oil Co., N. Y.				
10657 10854 11047	43111	T. C. Seymour, Windsor Locks Henry Fuller, Suffield E. S. Seymour, Suffield T. C. Seymour, Windsor Locks T. C. Seymour, Windsor Locks	$5.60 \\ 5.12 \\ 5.42$	5.76 5.75 5. 7 5	53.75 54.50 56.03
10654	H. L. Buss & Co., Boston. 37384	Geo. S. Phelps & Co., Thompson-ville	5.43	5.75	57.50
10699	Boston. 84399 M. K. A	Geo. S. Phelps & Co., Thompson-ville	5 49	5.75	58.00
10940 10937 10935	Humphreys-Godwin Co. Memphis, Tenn. 4937, G. C. & T. F 48446 L. & W	H. C. Cone, Suffield. H. C. Cone, Suffield. H. C. Cone, Suffield.	5.88 5.50	6.18 5.76	52.00 57.00
10944	Southern Cotton Oil Co., N. C. 248869	Griffin Tob. Co., No. Bloomfield.	5.50	5.76	53.50

cents per pound at that point. 36 per cent. meal is quoted in Connecticut on the same date at \$64.00, making the cost of nitrogen about 43 cents.

CASTOR POMACE.

Five samples were analyzed as follows:

11053. Sold by Apothecaries Hall Co., Waterbury. Stock of W. J. Reeves, Windsorville.

10894. Sold by H. J. Baker & Bro., N. Y. Stock of Oliver Thrall, Windsor.

10864. Sold by A. L. Koster, Suffield. Stock of S. B. Warner, Windsor.

10776. Sold by Olds & Whipple, Hartford. Stock of F. S. Bidwell & Co., Windsor Locks.

11201. Sold by Olds & Whipple, Hartford. Sampled at factory. 10864 was found with no tags attached. The seller reported the nitrogen guaranty.

ANALYSES OF CASTOR POMACE.

Station No Per cent. of	11053	10894	10864	10776	11201
Nitrogen guaranteed	4.52	4.52	4.52	4.50	5.00
Nitrogen found Cost per ton	5.28 $$58.00$	4.64 \$53.00	5.10 \$53.50	4.70 \$57.00	4.90 \$53.00

The average ton price of these five samples has been \$54.90. Their average nitrogen content has been 4.92.

Allowing 5 cents and 30 cents per pound respectively for the phosphoric acid and potash in them, the average cost of nitrogen has been not far from 48 cents per pound, the most expensive form of nitrogen.

The castor pomace situation is as follows: The castor beans formerly imported from India have all gone to England, the castor oil being greatly needed for the lubrication of aeroplane motors.

There has been a considerable production of castor beans in this country since our entry into war, but it has had no effect on the supply of pomace in New England.

II. RAW MATERIALS CHIEFLY VALUABLE FOR PHOSPHORIC ACID

BASIC LIME PHOSPHATE.

11052. Sold by American Agri. Chem. Co., N. Y. Stock of E. Dudley Bartlett, Guilford. Cost \$23.00 per ton. Guaranteed 13 per cent. "available" phosphoric acid, 14 per cent. total phosphoric acid. It contained

Water-soluble phosphoric acid	1.23
Citrate-soluble phosphoric acid	13.40
Citrate-insoluble phosphoric acid	1.45
Total phosphoric acid	16.06
"Available" phosphoric acid	14.63
Lime	28.30
Magnesia	0.89

[&]quot;Available" phosphoric acid in this material costs 7.9 cents per pound.

PRECIPITATED BONE PHOSPHATE.

10997. Sold by Olds & Whipple, Hartford. Sampled at factory. Cost \$48.35 per ton. It contained

Water-soluble phosphoric acid	2.02
Citrate-soluble phosphoric acid	28.20
Citrate-insoluble phosphoric acid	2.56
Total phosphoric acid	32.78
"Available" phosphoric acid	30.22

[&]quot;Available" phosphoric acid in this material costs 8 cents per pound.

DISSOLVED ROCK PHOSPHATE OR ACID PHOSPHATE.

Thirteen samples were analyzed as follows:

10890. Sold by Nitrate Agencies Co., N. Y. Stock of A. G. Ross, Bridgeport.

10893. Sold by L. T. Frisbie Co., N. H. Sampled at factory.

11003. Sold by Wilcox Fertilizer Co., Mystic. Stock of M. E. Thompson, Ellington.

10777. Sold by American Agr. Chem. Co., N. Y. Stock of W. J. Lobdell, Stratford.

11018. Sold by Coe-Mortimer Co., N. Y. Stock of J. E. Stoddard, Abington.

11051. Sold by American Agr. Chem. Co., N. Y. Stock of E. H. Latimer, Southington.

10956. Sold by F. S. Royster Guano Co., Baltimore, Md. Stock of J. D. Kelsey & Son, Madison.

11020. Sold by Armour Fertilizer Works, Chrome, N. J. Stock of Quality Seed Store, Stamford.

10866. Sold by American Agr. Chem. Co., N. Y. Stock of Geo. S. Phelps & Co., Thompsonville.

10871. Sold by Apothecaries Hall Co., Waterbury. Sampled at factory.

11162. Sold by Armour Fertilizer Works, Chrome, N. J. Stock of Quality Seed Store, Stamford.

10833. Sold by Bowker Fertilizer Co., N. Y. Stock of W. B. Martin, Rockville.

10957. Sold by Coe-Mortimer Co., N. Y. Stock of Gunther Bros., Rockville.

ANALYSES OF A	CID PHOSPHATE.
---------------	----------------

Station No.	Water-soluble phosphoric acid.	Citrate-soluble phosphoric acid.	Citrate-insoluble phosphoric acid.	Total phosphoric acid.	"Available" phos- phoric acid found.	"Available" phos- phoric acid guar- anteed.	Cost per ton.	"Available" phosphoric acid cost cents per pound.
10890	13.56	2.78	0.47	16.81	16.34	16.0	\$21.00	6.4
10893	15.61	1.87		17.48	17.48	16.0	23.00	6.6
11003	15.70	2.85	0.23	18.78	18.55	15.5	27.00	7.3
10777	12.29	3.83	1.57	17.69	16.12	16.0	26.00	8.1
11018	12.12	4.09	1.27	17.48	16.21	16.0	27.00	8.3
11051	15.64	1.22	1.27	18.13	16.86	16.0	29.00	8.6
10956	13.40	3.25	0.79	17.44	16.65	16.0	29.00	8.7
11020	13.73	1.89	0.27	15.89	15.62	16.0	28.00	9.0
10866	10.15	4.16	1.36	15.67	14.31	14.0	26.00	9.1
10871	10.28	3.88	0.99	15.15	14.16	14.0	26.00	9.2
11162	14.03	1.51	0.19	15.73	15.54	16.0	30.00	9.7
10833	12.08	2.32	1.50	15.90	14.40	14.0	29.00	10.1
10957	9.85	4.23	1.07	15.15	14.08	14.0		

Of these samples 11020 did not meet the guaranty, the deficiency in available phosphoric acid being 0.38 per cent.

Of the twelve samples with cash prices attached 9 are guaranteed 16 per cent. "available" and 3 are guaranteed 14 per cent.

The average cost of the former is \$26.33 and of the latter \$27.00.

On this basis available phosphoric acid in the higher grade has cost about 7.9 cents per pound and in the lower grade 9.4 cents.

BARIUM-PHOSPHATE.

11019. Sold by Witherbee, Sherman & Co., Port Henry, N. Y. Stock of Olds & Whipple, Hartford. Guaranteed 14 per cent. phosphoric acid. Cost \$18.00 per ton.

It contained 14.97 per cent. phosphoric acid, chiefly in insoluble forms.

III. RAW MATERIALS OF HIGH GRADE CONTAINING POTASH.

MURIATE OF POTASH.

Six samples were examined as follows:

9716. Stock of Brainard Nursery & Seed Co., Thompsonville. It contained 51.30 per cent. potash.

10638. Stock of E. E. Burwell, New Haven. It contained 50.92 per cent. potash.

9698. Stock of Geo. E. Butler, Meriden. It contained 53.84 per cent. potash.

10581. Stock of M. Keeney, Somersville. It contained 53.40 per cent. potash.

11014. Stock of E. J. Leonard, Wallingford. It contained 48.08 per cent. potash.

10848. Stock of John Wm. Norton, Madison. It contained 62.76 per cent. potash.

SULPHATE OF POTASH.

10580. Stock of M. Keeney, Somersville. It contained 47.76 per cent. potash. Sold for \$225.00 per ton. Cost of potash 23.6 cents per pound.

KAINIT.

10663. Sent by B. W. Ellis, County Agent, Putnam. It contained 15.50 per cent. potash.

The above samples, with exception of 10580, represent small lots, in farmers' hands, probably not offered for sale.

COTTON HULL ASHES.

Five samples were analyzed as follows:

9756, 11364, 11365. Sold by Olds & Whipple, Hartford. Stock of J. B. Stewart, Windsor. Cost \$6.00 per unit of water-soluble potash, equivalent to 30 cents per pound for actual potash. The samples contained 25.74, 19.62 and 18.70 per cent. of potash respectively.

11295. Sold by Olds & Whipple, Hartford. Stock of E. P. Brewer, Silver Lane. Cost \$6.00 per unit of water-soluble potash, equivalent to 30 cents per pound for actual potash. It contained 24.66 per cent. of potash.

11448. Sold by Olds & Whipple, Hartford. Stock of John Wolf, Windsor. Cost \$6.50 per unit of water-soluble potash, equivalent to 33 cents per pound for actual potash. It contained 19.29 per cent. of potash.

The cost of water-soluble potash in this form has ranged from 30 to 33 cents per pound and even higher.

10660. Stated to be "feldspar potash," but not from any stock offered for sale. It contained 48.44 per cent. of water-soluble potash, chiefly in form of muriate.

11055. Alpha Potash—Lime Fertilizer. Made by the Alpha Portland Cement Co., Easton, Pa. Sampled and sent by the manufacturer. It contained 2.59 per cent. of water-soluble potash, 27.32 per cent. of lime and 1.01 per cent. of magnesia.

It is quoted by the manufacturer at \$12.00 per ton in bulk or \$15.00 in bags. At the latter price and making no allowance for lime, potash would cost at the works 28.9 cents per pound.

THE POTASH SITUATION.

Already truck crops in this country have undoubtedly suffered from lack of potash as respects their yield and shipping quality. No marked reduction of our staple crops, which have a longer growth period, or of fruit crops, has come to our notice.

That this lack of potash will continue in 1919 is beyond question. Before the war the country imported about 230,000 tons of actual potash, more than 90 per cent. of which was used as a fertilizer. Our annual requirements for the immediate future are estimated at 250,000 tons.

In 1917 the total domestic production was estimated at 32,573 tons from the following sources:

From the brines of western "lakes"	20,652 tons
kelp on the Pacific coast	3,572
molasses residues	2,846
the mineral alunite	2,402
all other sources	3,101
	29 572
	$\frac{3,101}{32,573}$

The sources most promising for the future seem to be the brines and the dust from blast furnaces and cement kilns.

The data here given are taken from a publication of the U.S. Bureau of Mines, The Potash Situation, by A.W. Stockett.

In view of this critical situation, attention should be given to the careful conservation of the very considerable but neglected sources of home production. These have been discussed in Bulletin 198 of this Station, which is still available for distribution.

Some of the potash salts hitherto obtained from brines have contained considerable amounts of borie acid, and such salts have seriously damaged crops to which they were applied, as has been shown by Conner, of Purdue University, and others.

IV. RAW MATERIALS CHIEFLY VALUABLE FOR NITROGEN AND PHOSPHORIC ACID.

FISH MANURES.

Nine samples of fish manures have been examined. "Dry fish scrap" as put on the market before the war contained quite uniformly about 8.25 per cent. of nitrogen and 6.0 per cent. of phosphoric acid. The analyses here given show from 7.8 to 9.71 per cent. of nitrogen, while phosphoric acid ranges from 3.13 to 14.32 per cent. Obviously they are not wholly dried fish scrap, as the term was formerly used, and four of them are decidedly inferior to it in composition and value. These last may contain fish residues with or without some foreign material. Not more than three have a fairly consistent composition for dried fish scrap.

No. 11296, sent by Spencer Bros., Suffield, was damp and sticky, unfit mechanically to use in a drill. We understand that evaporated "soup" from the tankage manufacture is sometimes used in fertilizer mixtures and is apt to give this sticky consistence. For analyses see pages 134 and 135.

SLAUGHTER HOUSE TANKAGE.

Of the eight samples described in the table 10892 and 10889 have the composition of ground bone rather than of tankage. The same is true of 10601 although it was stated by the sender that it was sold for "blood tankage." 10891, sold by the Nitrate Agencies Co., failed to meet its guaranty in nitrogen and greatly overran that of phosphoric acid. It is probable that the stock which it represented was wrongly branded or mixed with other goods. For analyses see pages 134 and 135.

MIXED BONE AND TANKAGE.

11099. Lister's Celebrated Ground Bone and Tankage acidulated, made by Lister's Agricultural Chemical Works, Newark, N. J. From stock of H. J. Stanclift, New Hartford. Cost \$38.00 per ton.

Percentage composition	
Nitrogen as nitrates	0.11
as ammonia	0.23
organic	
total	3.11
Phosphoric acid—water-soluble	4.97
citrate-soluble	3.92
citrate-insoluble	3.34
total1	2.23

ANALYSES OF

Station No.	Manufacturer.	Dealer or Purchaser.
10895 11102 10964 11090 10752	Berkshire Fertilizer Co	W. J. Reeves, Windsorville Joseph Zawistovski, Hazardville Spencer Bros, Suffield. Factory S. J. Stevens, Glastonbury
11087 10687 11296 10913	Standard Guano Co	Amer. Sumatra Co., Windsor Locks. A. L. Koster, Suffield. Spencer Bros., Suffield Orr Bros. Tobacco Co., Windsor

^{* 0.25} per cent. nitrogen in nitrates.

GARBAGE TANKAGE.

10605 is tankage prepared from city garbage. Sent by the Bridgeport Hydraulic Co., Bridgeport. It contained 1.87 per cent. of nitrogen and 2.17 per cent. of phosphoric acid. 85 per cent. of the material was in particles coarser than 1–50 inch.

ANALYSES OF

Station No.	Manufacturer.	Dealer or Purchaser.
10889 11179 10618 10891 [10601 10602	Conn. Fat Rend. & Fert. Corp Unknown. N. Y. Dressed Meat Co Nitrate Agencies Co Quality Seed Store (dealer). Swift & Co	Chas. Templeton, Waterbury

FISH MANURES.

	Nitro	gen.		Phosphoric Acid.			Total Phos- phoric Acid.		
As Ammonia.	As Organiz.	Total · found.	Total guaranteed.	Water-soluble.	Citrate- soluble.	Citrate- insoluble.	Found.	Guaranteed.	Cost per ton.
0.16 0.14 0.46 0.09 0.10	8.15 7.92 8.71 9.62 9.18	8.31 8.06 9.42* 9.71 9.28	8.20 8.23 8.23 8.23 8.20	0.59 0.32 0.10 0.35 0.43	9.24 4.42 2.38 4.74 5.63	4.49 1.94 0.65 2.48 1.79	14.32 6.68 3.13 7.57 7.85	12.06 6.00 3.00 5.5 5.0	\$90.00 95.00 100.00
0.37 0.06	8.94 7.88	7.82 9.31 8.61 7.94	8.22 8.22 8.30	0.18 0.38	2.51 4.43	0.83 0.31	3.52 2.75 5.12	3.0	82.00

BONE MANURES.

Twenty analyses of this material are tabulated on page 136. Only one fails to meet its guaranty, No. 11161, Armour's Bone Meal, which contains 0.32 per cent. less nitrogen than guaranteed.

Five samples have a composition like that of untreated raw bone meal. The others represent bone variously treated, with the re-

SLAUGHTER HOUSE TANKAGE.

Nitrogen.		Phosphoric Acid.		Mechanical Analysis.		•		
As Ammonia.	As Organic.	Total found.	Total guaranteed.	Found.	Guaranteed.	Finer than 1-50 inch.	Coarser than 1-50 inch.	Cost per ton.
0.05 0.06 0.13 0.08 0.14 0.34 0.16	3.40 3.08 5.50 5.95 1.95 6.16 4.50	3.45 3.14 5.63 7.96 6.03 2.09 6.50 4.66	3.29 3.29 8.22 8.22 	23.14 23.44 20.00 11.26 18.59 9.10 7.54	18.30 20.00 4.57 	45.0 58.0 25.0 60.0 46.0 44.0	55.0 42.0 75.0 40.0 54.0 56.0	\$50.00 50.00 80.00

Analyses of

Station No.	Manufacturer and Brand.	Dealer or Purchaser.
11149 11148 11161 11145 11146 11160 11154 10715 11147	Sampled by Station: Amer. Agr. Chem. Co., Fine Ground Bone Apothecaries Hall Co., Bone Meal Armour Fertz. Works, Bone Meal Berkshire Fertz. Co., Fine Ground Bone. Bowker Fertz. Co., Fresh Ground Bone. Coe-Mortimer Co., Fine Ground Bone. Essex Fertz. Co., Ground Bone L. T. Frisbie Co., Fine Bone Meal International Agr. Corp., Buffalo Bone	Factory. E. A. Buck & Co., Willimantic. Wheeler & Co., Bridgeport. Goodsell Bros., Bristol. O. C. Tuller, West Simsbury. Manchester Plumbing Supply Co., Manchester. Lightbourn & Pond Co., New Haven
11157 11144 11159 11156 11155	Lister's Agr. Chem. Works, Lister's Bone Meal Lowell Fertz. Co., Lowell Ground Bone Nitrate Agencies Co., Ground Bone Rogers & Hubbard Co., Hubbard's	S. J. Orr, West Suffield M. E. Cooke, Wallingford J. A. Farrell, So. Norwalk R. H. Hall Est., East Hampton
11150 11152 11153 11151	Knuckle Bone Flour F. S. Royster Guano Co., Royster's Fine Ground Bone Meal Sanderson Fertz. & Chem. Co., Fine Ground Bone M. L. Shoemaker & Co., Swift-Sure Bone Meal Van Iderstine Co., Van Iderstine Pure Ground Bone	Cadwell & Jones, Hartford Silliman Hardware Co., New Canaan Factory Olds & Whipple, Hartford J. B. McArdle, Greenwich
10682	Virginia-Carolina Chem. Co., Bone Meal Sampled by Purchaser. L. T. Frisbie Co., Fine Bone Meal	

moval of a part of their nitrogen, excepting 11153, Shoemaker's Swift-Sure Bone Meal, which contains more nitrogen than any other.

Regarding Rogers & Hubbard Co.'s Strictly pure fine bone, the manufacturers state that, owing to the scarcity of raw bone, the brand had to be made of half raw and half steamed bone, but in 1919 the goods will have the same composition as formerly, made of raw bone and guaranteed to contain 3.82 per cent. of nitrogen and 24.70 of phosphoric acid.

BONE MANURES.

BONE MANURES.

Nia	rogen.	Phosphoric Acid.		Machanica		
		1 nosphorte Acid.		Mechanical Analysis.		
Found.	Guaranteed.	Found.	Guaranteed.	Finer than 1-50 inch.	Coarser than 1-50 inch.	Cost per ton
2.64 2.79 2.15 3.16 2.74 2.75	2.47 2.47 2.47 2.47 2.47 2.47	28.91 25.71 28.84 21.16 24.20 25.13	22.88 22.00 22.00 20.00 22.88 22.88	63.0 39.0 48.0 40.0 44.0 43.0	37.0 61.0 52.0 60.0 56.0 57.0	\$60.00 * 44.00 58.00 45.00 49.00 44.00
$\frac{2.83}{3.16}$	$\frac{2.46}{2.46}$	$25.59 \\ 26.92$	22.00 22.00	54.0 46.0	$\begin{array}{c} 46.0 \\ 54.0 \end{array}$	52.00 48.00
2.92	2.50	23.62	22.00	47.0	53.0	50.00
$3.26 \\ 3.26 \\ 2.59$	2.47 2.05 2.46	$24.79 \\ 26.33 \\ 24.18$	23.00 26.00 22.88	53.0 49.0 53.0	$47.0 \\ 51.0 \\ 47.0$	45.00 48.00
2.44	2.00	29.42	25.00	55.0	45.0	49.00
3.89	3.82	25.48	24.70	66.0	34.0	59.00
2.75	2.47	23.49	22.90	55.0	45.0	53.00
2.43	2.47	25.61	22.88	44.0	56.0	43.50
5.34	4.53	23:36	20.00	61.0	39.0	57.00
$\frac{2.01}{2.47}$	2.00 2.40	$27.63^{\circ} \\ 25.94$	27.00 22.00	39.0 55.0	$61.0 \\ 45.0$	65.00 55.00
2.98	2.46	26.20	20.00	61.0	39.0	40.00

The average per cent. of nitrogen in all the samples is 2.93, of phosphoric acid 25.62, and the average price is \$50.76.

Allowing five or six cents per pound for phosphoric acid, the average cost of nitrogen has been between 34 and 44 cents per pound.

V. MIXED FERTILIZERS.

NITROGENOUS SUPERPHOSPHATES.

The following tables include analyses of 263 samples taken by the Station Agent and 4 taken by others. Of those sampled by the Station Agent 109 were guaranteed to contain potash.

REGARDING GUARANTIES.

Of the brands containing potash 29 failed in one or more respects to meet their guaranties. Of the 154 brands which did not contain potash, 34 failed to meet the guaranty either in nitrogen or in "available" phosphoric acid. Of all the nitrogenous superphosphates examined about 24 per cent. did not meet their guaranties in all particulars.

In most cases a deficiency in one ingredient was made up in money value by an overrun in the others.

In the following cases, however, this deficiency was not made good. Reckoning nitrogen and potash each at 30 cents per pound and "available" phosphoric acid at 6 cents, the deficiencies in money value of more than one dollar per ton were:

10734	Atlantic Packing Co.'s 4-8-2	\$2.75
10732	Bowker's Complete	4.66
11079	Chittenden's Complete Tobacco and Onion Grower	2.56
11124	" Conn. Tobacco Grower	2.50
10755	Mapes Potato Manure	1.04
10796	A. A. C. Co.'s Ammoniated Fertilizer AAAA	2.04
10963	Frisbie's Tobacco Special	2.08
10960	International Ag'l Corp'n's. Buffalo N. E. Special	1.86
11105	Lister's Ag'l. Chem. Works' Atlas Brand	1.24
10836	N. E. Fertilizer Co.'s Potato Fertilizer	1.80
11132	Royster Guano Co.'s Overland Top Dresser	6.45
10791	" " Perfecto Tobacco Formula	1.38

REGARDING THE QUALITY OF PLANT FOOD IN NITROGENOUS SUPERPHOSPHATES.

The potash given in the analyses is all soluble in water and readily available to crops.

The same is true of the "soluble" phosphoric acid. The "citratesoluble" phosphoric acid, which with the water-soluble is called "available" in trade usage, is doubtless more readily available to crops than the citrate-insoluble, but there are probably considerable differences in the agricultural value of citrate-soluble phosphoric acid coming from different sources or materials. The same is true of insoluble phosphoric acid. Thus, the insoluble phosphoric acid of bone is more quickly available to crops than that of phosphate rock or apatite.

Considering phosphoric acid alone, it is safest to buy those mixed fertilizers in which the proportion of insoluble phosphoric acid is smallest.

Regarding the nitrogen in mixed fertilizers, the availability of the portion which is in the form of nitrate or ammonia is well understood.

The organic nitrogen of mixed fertilizers comes from a great number of materials differing widely in their availability. A method of measuring approximately their availability to crops by their solubility in chemical reagents, has been devised and its value has been checked by vegetation tests.

The method has been sufficiently discussed in previous reports. Only its application to the tabulated analyses need be noticed here.

The organic nitrogen is separated into the water-soluble and water-insoluble. The water-soluble may be considered available.

The water-insoluble nitrogen is tested for solubility in a definitely prepared potassium permanganate solution. If less than 50 per cent is soluble by the alkaline treatment and less than 80 per cent by the neutral treatment, the water-insoluble organic nitrogen is considered inferior in quality. In the following table are given those analyses in which the water-insoluble nitrogen was judged inferior by both of the methods and in which, deducting the insoluble, inactive nitrogen from the nitrogen found, that remaining did not meet the nitrogen guaranty.

ANALYSES REQUIRING SPECIAL NOTICE.

10732. Bowker's Complete. The manufacturer's chemist found 2.75 per cent. of potash, whereas our report shows 2.36 per cent.

11025. Apothecaries Hall Co.'s Victor Tobacco Special with Cotton Seed Meal Base. As this sample failed to meet the guaranty, a second sample, 11175, was drawn at the manufacturer's request, which fully met the guaranty.

10775. Berkshire Fertilizer Co.'s Root Fertilizer. The manufacturer advises that the goods should show between 3 and 4 per cent. of water-soluble phosphoric acid, instead of only 1.12 as is reported in the table.

BRANDS IN WHICH INFERIOR FORMS OF NITROGEN ARE INDICATED.

	Per cent. active insol- uble by Neu- tral Method.	756277773977773977773977773977773977773977773977773977773977739797979797979797979797979797979797979
	Per cent. active insol- uble by Alka- line Method,	2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25
Nitrogen.	Inactive- inacluble.	0.000000000000000000000000000000000000
Organic Nitrogen	Active- insoluble.	00000000000000000000000000000000000000
	Water- soluble.	0.000000000000000000000000000000000000
	IstoT	0.000000000000000000000000000000000000
	Brand.	Apothecaries Hall Co.'s Victor Top Dresser " Wheat, Corn and Oat Special Bowker's Farm and Garden Phosphate. Brown's Vegetable and Potato Grower E. F. Coe's New Englander Special. Lowell Fertilizer Co.'s Bone Fertilizer. Mapes' Potato Manure. New England Fertilizer Co.'s Corn and Grain Fertilizer. New England Fertilizer Special. Superphosphate. Olds & Whipple's Potato and All Crop Fertilizer. Parmenter & Polsey's Plymouth Rock Brand. Star Brand Superphosphate. Royster Guano Co.'s Corn and Oats Fertilizer. C. M. Shay's Shay's Formula.
	Station No.	11022 110714 110714 110820 110820 110839 110876 110825 110825 110825 110980 110980 111109

10876, International Agricultural Corporation's Buffalo Tobacco Grower contained less nitrogen and phosphoric acid than was guaranteed. Another sample was drawn at the manufacturer's request, 11133, which met the guaranty.

10819, Royster Guano Co.'s Overland Top Dresser showed a considerable deficiency of nitrogen but nearly double the amount of phosphoric acid which was guaranteed. A second sample, 11132, drawn from another lot at the manufacturer's request, contained less nitrogen than the former and less than half as much phosphoric acid. It is doubtful if either sample represents the average composition of this brand.

10791, Royster Guano Co.'s Perfecto Tobacco Manure, contained 0.3 per cent. less nitrogen than was guaranteed. A second sample, 11123, drawn at the manufacturer's request from another lot, fully met the guaranty.

REGARDING THE PRICES OF MIXED FERTILIZERS.

The prices given in the table are those named by the dealer as cash retail ton prices.

The price of a given brand will be regulated, not only by its cost to the retailer, but also by his expenses for freight, storage and other overhead charges and by his margin of profit. This however does not, we believe, vitiate a comparison of average cost to the farmer for the purpose of this discussion.

There are a considerable number of brands which have the same guaranties and a like composition. Thus, we have 22 brands in each of which 3.29 per cent. of nitrogen and 10 per cent. of "available" phosphoric acid are guaranteed. There are 9 brands in which the same amount of nitrogen, a little less phosphoric acid, and 1 per cent. of potash are guaranteed.

The analyses of each of these different groups have been averaged with the prices, rejecting those in which the prices were very far from the average. As is justified by the figures previously given in this report, the phosphoric acid has been given a value of 8 cents and potash of 30 cents per pound, and with this allowance the cost of the nitrogen in the different groups has been calculated. The following table gives the results:

COST OF NITROGEN IN NITROGENOUS SUPERPHOSPHATES.

		Averag	e percentage fo	und of		
	Per cent. of		"Available"		Nitrogen costs	
No. of	Nitrogen	371.	Phosphoric		cents	Average
Brands.	Guaranty.	Nitrogen.	Acid.	Potash.	per pound.	cost per ton.
Superph	osphates wit	thout potash	. .			
7	0.82	1.00	10.11		96.0	\$35.37
18	1.65	1.82	10.48		60.9	38.86
15	2.47	2.54	10.00		56.8	44.86
22	3.29	3.39	10.49		50.3	50.85
15	4.11	4.13	8.62		51.9	56.23
11	4.11	4.19	4.50		64.0	60.83
Superph	osphates wit	h 1 per cen	t. potash.			
10	1.65	1.77	9.51	1.12	71.0	47.06
10	2.06	2.26	9.11	1.01	64.2	49.65
13	2.47	2.55	9.15	1.06	54.3	48.70
9	3.29	3.36	9.45	1.15	52.0	56.94
8	4.11	4.36	7.02	1.17	52.5	64.03

The table is worth careful study by prospective purchasers. It shows quite conclusively that the buyer of brands with only 0.82 per cent. of nitrogen in them has paid not quite double as much for nitrogen as he would pay if he had bought goods with a higher guaranty of nitrogen and at a higher price. He would get his nitrogen cheapest if he bought with a guaranty of at least 2.47 per cent. nitrogen.

The buyer would save money by paying \$50.85 for a 3.29 nitrogen brand, instead of paying \$15.00 a ton less for 0.82 per cent. nitrogen goods. It was better buying to pay \$64 for a 5-7-1 formula than to pay \$47 for a 2.5-10-1 formula.

The reason is quite simple. It costs as much labor and material to mix, bag, ship and sell a low-grade fertilizer as it does to prepare high-grade goods, and they are practically alike on every ton, whether of high or low grade; therefore, they make the cost of plant food higher in those goods in which the amount of plant food is relatively small.

For example, suppose a ton of fertilizer (A) contains 40 pounds (2 per cent.) of nitrogen, and another (B) contains 80 pounds (4 per cent.) of nitrogen, and both contain equal amounts of phosphoric acid and potash. The nitrogen in each costs the manufacturer 30 cents per pound, and let us assume that the other plant food cost \$12. The "overhead charges" for costs and profits of manufacturer and sale will be alike in each case, which we will assume to be \$12 also.

	A	В
Cost of nitrogen	\$12.00	\$24.00
Cost of phosphoric acid and potash	12.00	12.00
Overhead charges	12.00	12.00
Cost to farmer	\$36.00	\$48.00

In A, \$24 worth of plant food costs \$36. In B, \$36 worth costs \$48. Hence in A, \$1 worth of plant food costs $\frac{3.6}{24}$, or \$1.50, and in B $\frac{4.8}{3.6}$, or \$1.33.

These "overhead charges" have never been so great as now. The Station has always advised the buying of high-grade goods, but at present it is imperative.

There is nothing in the argument that if one wants to use only a small amount of nitrogen (perhaps on oats, for example) he should buy a formula containing a small amount of nitrogen. Many farmers need to get away from the idea of putting on so many pounds (or bags!) of fertilizer to the acre, and to figure only on the number of pounds of fertilizer ingredients which their land or crops need.

TABLE I-NITROGENOUS SUPERPHOSPHATES

		·	
Station No.	Manufacturer and Brand.	Place of Sampling.	Dealer's cash price per ton.
10898 11164 10869 10902 11029 11065 10900 11030 10821 10754 10901 11103 10804 10904 10903 10810 10906 10907 10905 11163 11064 10909 10822	Sampled by Station: American Agricultural Chemical Co., New York City. Complete Manure for Top Dressing 1916. Lion Brand Potato Manure. Potomac Complete Potato Manure 1916. Sure Growth Phosphate 1916. Bradley's Complete Manure for Potatoes and Vegetables 1916. Bradley's Corn Phosphate 1916. Bradley's Half Century Fertilizer 1916. Bradley's New Method Fertilizer 1916. Bradley's Potato Fertilizer 1916. Bradley's Potato Fertilizer 1916. Bradley's Potato Manure 1916. Bradley's Potato Manure 1916. Bradley's Tobacco Manure Bradley's Unicorn 1916. East India Corn King 1916. East India Potato and Garden Manure. Great Eastern General 1916. Great Eastern Fotato Manure 1916. Packers Union Gardeners' Complete Manure 1916. Quinnipiac Ammoniated Dissolved Bone 1916. Quinnipiac B. Fertilizer. Quinnipiac Climax Phosphate 1916. Quinnipiac Market Garden Manure 1916. Quinnipiac Market Garden Manure 1916. Quinnipiac Potato Phosphate 1916. Wheeler's Cuban Tobacco Grower 1916. Williams and Clark's Americus Potato Manure 1916 Williams and Clark's Americus Potato Manure 1916 Williams and Clark's Special Prolific Crop Producer.	Bristol Willimantie. Canaan Middletown Willimantic. Bristol Norwalk Middletown East Hartford. Glastonbury Burnside Burnside New Canaan East Hampton East Hampton East Hampton Branford Shelton Milford Branford Milford Branford Milford Brunton South Norwalk Riverton New Milford South Manchester Waterbury Waterbury	\$64.00 75.00 49.00 59.00 47.00 53.00 45.00 47.00 55.00 48.00 75.00 46.50 55.00 48.00 48.00 50.00 48.00 48.00 50.00 48.00 50.00 48.00 65.00 65.00 65.00 65.00 65.00 65.00 65.00 65.00 65.00 65.00 65.00 65.00 65.00
10742 11101 †11021	Armour Fertilizer Works, Chrome, N. J. Armour's 1-8-2. Armour's 2-8-3. Armour's Special Tobacco Grower No. 1. Armour's Wheat, Corn and Oats Special. Bidwell's 3-8-1	New Haven	53.00% 60.00% 70.00% 40.00% 49.00%
*10734	Atlantic Packing Co., New Haven. Atlantic 4-8-2	New Haven	62.7

^{*} See note on page 138. † See table on page 140.

WITH POTASH.

	Pl	nosphoric Acid.		Potash.	
j Total.	le.	Total.	So-called "Available."		
Organic, Water-soluble. Water-insoluble. Found. Guaranteed.	Water-soluble. Citrate-soluble. Citrate-insoluble.	Found. Guaranteed.	Found. Guaranteed	As Muriate Total.	Guaranteed.
$egin{array}{c cccc} 0.97 & 0.51 & 3.28 & 3.29 \\ 0.21 & 0.74 & 1.75 & 1.68 \\ \end{array}$	6.43 2.22 1.11 97.09 3.16 1.37 66.76 2.72 2.01 77.23 2.77 2.05	$oxed{11.62} oxed{11.00} \ oxed{11.49} oxed{10.00}$	$\begin{array}{c cccc} 10.25 & 10.00 \\ 9.48 & 9.00 \end{array}$	0.32 1.11 2.75 2.90 0.44 1.10 0.43 1.02	1.00 10801 3.00 10898 1.00 11164 1.00 10869
$\begin{array}{c} .21 & 0.45 \\ .45 & 0.74 \\ .21 & 0.20 \\ .28 & 0.83 \\ .24 & 0.42 \\ .23 & 2.34 \\ .20 & .23 \\ .20 & .20 \\ .21 & .20 \\ .20 &$	57.582.880.91 $6.943.181.47$ $24.833.681.06$	$\begin{array}{c} 9.77 11.00 \\ 11.68 11.00 \\ 9.77 9.00 \\ 9.47 9.00 \\ 9.83 9.00 \\ 11.78 10.00 \\ 12.42 11.00 \\ 12.42 11.00 \\ 10.87 11.00 \\ 10.50 9.00 \\ 10.87 11.00 \\ 10.50 9.00 \\ 10.50 9.00 \\ 11.85 11.00 \\ 10.77 10.00 \\ 11.37 10.00 \\ 11.59 11.00 \\ 9.57 9.00 \\ 10.68 10.00 \\ 10.81 10.00 \\ 10.03 9.00 \\ 10.85 11.00 \\ 10.185 11.00 \\ $	$\begin{array}{c} 8.98 10.00 \\ 10.07 10.00 \\ 8.64 8.00 \\ 8.68 8.00 \\ 9.77 9.00 \\ 10.59 10.00 \\ 4.11 3.00 \\ 9.72 9.00 \\ 9.39 9.00 \\ 9.39 9.00 \\ 9.12 8.00 \\ 7.67 8.00 \\ 10.00 10.00 \\ 9.35 9.00 \\ 10.46 9.00 \\ 10.12 10.00 \\ 8.51 8.00 \\ 9.06 9.00 \\ 9.52 9.00 \\ 7.79 8.00 \\ 10.03 10.00 \\ 3.42 3.00 \\ \end{array}$	0.35 1.07 0.66 1.06 0.45 1.03 0.35 0.86 0.62 1.07 0.35 0.99 0.45 1.06 0.76 3.89 0.39 1.16 0.56 0.89 0.40 1.09 0.35 0.92 0.23 1.02 0.40 1.06 0.76 1.06 0.76 3.89 0.40 1.09 0.35 0.92 0.23 1.02 0.40 1.06 0.76 1.06	1.00 10902 1.00 11029 1.00 11065 1.00 10900 1.00 10821 1.00 10754 1.00 10901 3.00 11103 1.00 10800 1.00 10803 1.00 10809 1.00 10809 1.00 10809 1.00 10809 1.00 10904 1.00 10809 1.00 10904 1.00 10903 1.00 101122 1.00 10906 1.00 10906 1.00 10905 1.00 10905 1.00 10905 1.00 10905 1.00 10905 1.00 10909
0.58 0.55 $ 2.23 2.06$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10.16 9.00	7.83 8.00	$\begin{array}{c c} 0.43 & 1.13 \\ 0.31 & 0.95 \\ 0.21 & 0.90 \end{array}$	1.00 10773
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	23.344.551.30 54.643.300.91 13.311.731.15 24.052.930.68 75.503.630.93	7.66 7.50	7.89 8.00 7.94 8.00 5.04 4.00 6.98 7.00 9.13 8.00	0.74 2.66 1.78 2.88 0.09 1.18 0.70 1.09 0.69 1.00	3.00 10742 1.00 11101 1.00 11021
.88 0.70 0.74 3.23 3.29	94.264.151.82	10.23 9.00	8.41 8.00	1.12 1.52	2.00 10734

TABLE I-NITROGENOUS SUPERPHOSPHATES.

Station No.	Manufacturer and Brand.	Place of Sampling.	Dealer's cash price per ton.
11057	Sampled by Station: Bowker Fertilizer Co., New York City. Bowker's All Round Fertilizer 1916	Buckland	
*10732 11062 110820 11061 11069 11037 11060 11068	Bowker's Ammoniated Food for Flowers. †Bowker's Complete Bowker's Complete Alkaline Tobacco Grower 1916 Bowker's Farm & Garden Phosphate 1916. Bowker's Hill & Drill Phosphate 1916 Bowker's Lawn and Garden Dressing 1918. Bowker's Potato Phosphate 1916. Bowker's Sure Crop Phosphate 1916. Stockbridge Early Crop Manure 1916. Stockbridge General Crop Manure 1916.	Milldale. West Suffield Plainville. Manchester. New Haven. Rockville. Manchester. Milldale.	\$72.00 67.00 59.00 47.00 50.00 47.00 41.00 64.00 55.00
11135 *11079 *11124 11134	E. D. Chittenden Co., Bridgeport, Conn. Complete Tobacco and Onion Grower, 1% Potash Complete Tobacco and Onion Grower, 2% Potash Connecticut Tobacco Grower, 2% Potash Tobacco Special 2% Potash	Rockville. Enfield. Suffield. Suffield.	51.00 80.00 75.00
11072 ‡10739 11078	Coe-Mortimer Co., New York City. H. G. Potato Fertilizer Revised New Englander Special 1916. Red Brand Excelsior Guano 1916.	Greenwich	64.37 60.25
10959	L. T. Frisbie Co., New Haven, Conn. Frisbie's 4-8-4	Guilford	70.00
10770 10962 10771	International Agricultural Corporation, Buffalo, N. Y. Buffalo Economy Buffalo General Favorite Buffalo Tip Top Buffalo Triumph	West Suffield	47.00 39.22 45.00 55.00
10966 11098 11088 11076	Lister's Agricultural Chemical Works, Newark, N. J. Corn and Potato Fertilizer 1916. Potato and Corn No. 2 Fertilizer 1916. Perfect Potato Manure 1916. Potato Manure 1916. Special Crop Producer 1916. Special Tobacco Fertilizer 1916. Standard Pure Superphosphate of Lime 1916.	New HartfordBurnside	48.00 56.00 41.00
11130	Lowell Fertilizer Co., Boston, Mass.	Enfield	60.00

^{*} See note on page 138.

† See note on page 139.

‡ See table on page 140.

NITROGENOUS SUPERPHOSPHATES.

WITH POTASH—(Continued).

		Nit	rogen.			[Phosphoric Acid. Potash.									
			le.	To	tal.			ole.	То	tal.	So-c "A vai	alled lable.''			,	
In Nitrates.	In Ammonia.	Organic, water-soluble.	Organic, water-insoluble.	Found.	Guaranteed.	Water-soluble.	Citrate-soluble.	Citrate-insoluble.	Found.	Guaranteed.	Found.	Guaranteed.	As Muriate.	Total.	Guaranteed.	Station No.
.79	0.14	0.45	0.76	2.14	2.06	7.19	3.50	1.30	11.99	11.00	10.69	10.00	0.39	1.13	1.00	11057
.25 .06 .34 .07 .84 .62 .17	$0.14 \\ 0.58 \\ 0.67 \\ 0.36 \\ 0.19$	0.51 0.22 0.25 0.34 0.44 0.27 0.22 0.39	2.99 0.64 0.66 0.61 0.54 0.48 0.92	3.06 4.31 1.37 2.65 2.56 1.79 1.06 4.24	3.29 4.11 1.65 2.47 2.47 1.65 0.82 4.11	7.59 0.87 7.11 6.74 3.53 7.40 7.46 6.62	$ \begin{array}{c} 3.71 \\ 2.61 \\ 2.63 \\ 4.33 \\ 2.47 \\ 3.04 \\ 2.03 \end{array} $	1.07 0.45 1.37 1.13 2.09 1.57 1.83 0.97		11.00 5.00 11.00 10.00 9.00 11.00	10.47 4.58 9.72 9.37 7.86 9.87 10.50 8.65	4.00	2.38 0.68 0.32 0.64 0.35 0.28 0.29 0.51 0.31 0.47	2.82 2.36 1.28 1.31 1.11 0.88 1.03 1.08 1.31	3.00 1.00 1.00 1.00 1.00 1.00 1.00	11070 10732 11062 10820 11061 11069 11037 11060 11068 11067
98 16	1.28 0.75 2.71 2.17	$0.08 \\ 0.19$	$egin{array}{c} 0.46 \ 0.28 \ 1.63 \ 2.71 \ \end{array}$	$\frac{3.09}{4.69}$	$\frac{3.29}{4.94}$	$\frac{6.30}{2.38}$	$\begin{vmatrix} 3.43 \\ 1.97 \\ 2.22 \\ 2.60 \end{vmatrix}$	$0.38 \\ 1.14$	$8.65 \\ 5.74$	9.00	$\begin{bmatrix} 8.27 \\ 4.60 \end{bmatrix}$	8.00 8.00 4.00 4.00	0.25 0.51 0.36 0.65	1.02 1.72 1.73 2.26	$\frac{2.00}{2.00}$	11135 11079 11124 11134
50	$0.05 \\ 1.43$	$\begin{bmatrix} 0.30 \\ 0.42 \end{bmatrix}$	0.76 0.43 0.83 0.80	0.78 4.18	0.82 4.11	6.59 6.63	$\begin{bmatrix} 2.57 \\ 1.92 \end{bmatrix}$	$\begin{bmatrix} 1.25 \\ 1.02 \end{bmatrix}$	10.41	9.00		8.00	1.14 0.31 0.24	2.93 0.85 1.16 4.93	1.00 1.00	11072 10739 11078
68 63	$\begin{bmatrix} 0.03 \\ 0.03 \end{bmatrix}$	$0.06 \\ 0.08$	0.57 0.39 0.35 0.51	1.16	10.80	7.16	3.61 32.23 22.99 2.38	10.47	1.9.86	9.00 9.00	8.71	8.00	0.86 0.70 2.21 1.68	$0.86 \\ 0.70 \\ 2.21 \\ 1.68$	$\begin{bmatrix} 1.00 \\ 2.00 \end{bmatrix}$	10770 10962 10771 11075
82 20 79 10 86	$ \begin{array}{r} 0.15 \\ 0.50 \\ 1.53 \\ 0.10 \\ 0.14 \\ \end{array} $	$\begin{bmatrix} 0.32 \\ 0.43 \\ 0.30 \\ 0.14 \\ 0.37 \end{bmatrix}$	0.84 0.85 1.32 0.69 0.51 0.83 0.64	$egin{array}{c} 2.14 \ 3.45 \ 4.31 \ 0.85 \ 2.20 \ \end{array}$	$egin{array}{c} 2.06 \ 3.29 \ 4.11 \ 0.82 \ 2.05 \ \end{array}$	8.26 6.57 5.45 5.73 8.19	$ \begin{array}{c c} 2.97 \\ 2.97 \\ 2.85 \\ 2.29 \end{array} $	1.34 1.47 1.52 1.09 1.28	$ \begin{array}{c c} 12.03 \\ 11.01 \\ 9.94 \\ 9.67 \\ 11.76 \end{array} $	11.00 10.00 9.00 9.00 11.00	$ \begin{array}{c c} 10.69 \\ 9.54 \\ 8.42 \end{array} $	10.00 9.00 8.00 8.00 10.00	$ \begin{array}{r} 0.58 \\ 0.58 \\ 0.40 \\ 0.64 \\ 0.68 \\ \end{array} $	$1.06 \\ 1.21$	1.00 1.00 1.00 1.00 1.00	10966 11098 11088 11076 11131 11097 10965
60	0.23	0.41	0.57	1.81	1.64	2.37	5.63	1.51	9.51	9.00	8.00	8.00	2.11	5.31	4.00	11130

TABLE I-NITROGENOUS SUPERPHOSPHATES.

Station No.	, Manufacturer and Brand.	Place of Sampling.	Dealer's cash price per ton.
10737 *10755 10973	Sampled by Station: The Mapes Formula & Peruvian Guano Co., New York City. Corn Manure 1916 Brand. General Special 1916 Brand. †Potato Manure 1916 Brand. Tobacco Manure 1916 Brand Tobacco Starter Improved.	Windsor Locks Windsor Locks Hartford	\$50.00 73.00 58.00 88.00 58.00
10972 10736	Top Dresser Half Strength 1916 Brand	Southington	$74.00 \\ 105.00$
11038 11096 10741 11036 10976	National Fertilizer Co., New York City. Complete Root and Grain Fertilizer 1916. Eureka Potato Fertilizer 1916. Extra High Grade Manure 1916. Potato Phosphate 1916. Tobacco Special 1916. Universal Phosphate 1916 XXX Fish and Potash 1916.	South Manchester West Cheshire Wallingford. Simsbury. Simsbury	52.75 61.00 60.00 34.50 50.50
10978 11137	Olds & Whipple, Hartford, Conn. Complete Corn, Potato and Onion Fertilizer Complete Tobacco Fertilizer Complete Tobacco Fertilizer Complete Tobacco Fertilizer	South Windsor Chicopee Falls, Mass	52.75
10720 10807	Rogers & Hubbard Co., Portland, Conn. Hubbard's Bone Base Soluble Potato Manure R and H. Tobacco Grower (Vegetable Formula)	MilfordWindsor	60.00
†10993 11092 10733	F. S. Royster Guano Co., Baltimore, Md. Arrow Head Tobacco Fertilizer. Dreadnought Fertilizer. Drillwell Phosphate. Fish and Potash Mixture. Logical Compound.	Watertown	50,25 40.00 39.75 50.00
10830 10994 10995 10731 11128	Sanderson Fertilizer & Chemical Co., New Haven, Conn. Atlantic Coast Bone, Fish & Potash 1916. Corn Superphosphate 1916. Formula A 1916. Formula B 1916. Potato Manure 1916. Special Formula A. Kelsey's Bone, Fish and Potash 1916.	Derby. Shelton Glastonbury Plainville. Niantic	46.00 58.00 59.00 55.25 47.00 72.00 48.00

^{*} See note on page 138.

† See table on page 140.

NITROGENOUS SUPERPHOSPHATES. 149

WITH POTASH—(Continued).

		Nitr	ogen.			Ph	osphoric	Acid.			F	Potash.		
			le.	Total.		ole.	Tot	al.	So-ca "Avail	alled able."				
In Nitrates.	In Ammonia.	Organic, water-soluble.	Organie, water-insoluble.	Found. Guaranteed.	Water-soluble. Citrate-soluble.	Citrate-insoluble	Found.	Guaranteed.	Found.	Guaranteed.	As Muriate	Total.	Guaranteed.	Station No.
								,						
4.93 2.83 5.66	0.03 0.05 0.07 0.04	$\begin{bmatrix} 0.18 \\ 0.14 \\ 0.19 \end{bmatrix}$	$ \begin{array}{c c} 1.14 \\ 0.67 \\ 2.79 \end{array} $	$\begin{array}{c c} 6.28 & 5.76 \\ 3.69 & 3.71 \\ 8.71 & 8.23 \end{array}$	$egin{array}{c} 7 & 3 & .32 & 5 & .00 \\ 3 & 1 & .74 & 4 & .97 \\ 1 & 2 & .58 & 6 & .05 \\ 3 & 0 & .04 & 5 & .74 \\ 2 & 1 & .00 & 5 & .29 \\ \hline \end{array}$	$\begin{bmatrix} 2.17 \\ 2.14 \\ 2.46 \end{bmatrix}$	$\begin{bmatrix} 8.88 \\ 10.77 \\ 8.24 \end{bmatrix}$	10.00 8.00 8.00 8.00 8.00	8.32 6.71 8.63 5.78 6.29	8.00 6.00 8.00 5.00 6.00	$0.37 \\ 0.21$	$ \begin{array}{r} 1.09 \\ 0.72 \\ 1.71 \end{array} $	$1.00 \\ 1.00 \\ 1.00$	10767 10737 10755 10973 10756
	0.02		$\begin{array}{c} \widetilde{0.29} \\ 0.21 \end{array}$		$\begin{bmatrix} 4 & 0.55 & 2.11 \\ 0.63 & 5.56 \end{bmatrix}$			4.00 8.00	2.66 6.19	$\frac{2.50}{5.00}$	$0.47 \\ 0.96$	$0.78 \\ 2.54$		
1.25 1.96 9.82 1.44 9.14	8 0.61 0.77 0.16 0.36 0.05 0.21 0.80	$ \begin{array}{c} 0.26 \\ 0.57 \\ 0.51 \\ 0.36 \\ 0.07 \end{array} $	$\begin{bmatrix} 0.55 \\ 1.73 \\ 0.48 \\ 3.40 \\ 0.45 \end{bmatrix}$	$\begin{array}{c} 2.83 2.47 \\ 4.42 4.11 \\ 2.17 2.06 \\ 5.25 4.53 \\ 0.87 0.82 \end{array}$	$\begin{array}{c} 9 & 6 & .98 & 2 & .07 \\ 7 & 6 & .86 & 2 & .28 \\ 1 & 3 & .59 & 4 & .86 \\ 3 & 1 & .32 & 2 & .48 \\ 2 & 7 & .34 & 2 & .68 \\ 6 & 5 & .99 & 4 & .36 \\ \end{array}$	$egin{array}{c} 1.07 \\ 5.1.16 \\ 9.2.32 \\ 8.0.52 \\ 8.1.80 \\ \hline \end{array}$	$ \begin{bmatrix} 10.21 \\ 9.61 \\ 9.79 \\ 4.32 \\ 11.82 $	10.00 9.00 9.00 4.00 11.00	$9.14 \\ 8.45 \\ 7.47 \\ 3.80 \\ 10.02$	$9.00 \\ 8.00 \\ 8.00 \\ 3.00 \\ 10.00$	0.39 0.52 0.31 0.20 0.48	$\frac{1.09}{0.97}$	1.00 1.00 1.00 1.00 1.00	11096 10741 11036 10976
0.87		0.47	$\frac{1.75}{3.10}$	$\begin{array}{c} 4.50 \ 4.11 \\ 4.61 \ 4.11 \end{array}$	$\begin{bmatrix} 2.69 & 4.68 \\ 1 & 0.57 & 3.75 \\ 1 & & \\ 0.35 & 3.96 \end{bmatrix}$	0.17	4.49 4.80	6.00 3.00 3.00 3.00	7.37 4.32 4.31	6.00 3.00 3.00	0.67	2.33 4.27 4.20 4.12	$\frac{4.00}{3.00}$	11137
			3 1.06 3.17		$\begin{bmatrix} 2.34 \\ 0.10 \\ 4.40 \end{bmatrix}$	3.83	13.30 6.79	13.00 5.00	9.47 4.50	10.00 4.00		1.29 0.98		10720 10807
0.06 0.11 0.10	0.87	$\begin{bmatrix} 0.28 \\ 0.24 \\ 0.23 \end{bmatrix}$	$ \begin{array}{c} 0.47 \\ 0.82 \end{array} $	$\begin{bmatrix} 1.65 & 1.65 \\ 2.39 & 2.47 \\ 1.67 & 1.65 \end{bmatrix}$	1 2.22 2.08 54.353.80 74.793.82 55.492.28 55.31 2.68	$\begin{bmatrix} 0.92 \\ 21.16 \\ 80.67 \end{bmatrix}$	$ \begin{vmatrix} 9.07 \\ 9.77 \\ 8.44 \end{vmatrix} $	$8.50 \\ 8.50 \\ 8.50$	$8.15 \\ 8.61 \\ 7.77$	8.00 8.00 8.00	$0.64 \\ 0.47 \\ 0.51$	$ \begin{array}{c c} 2.04 \\ 1.37 \\ 1.02 \end{array} $	$ \begin{bmatrix} 2.00 \\ 1.00 \\ 1.00 \end{bmatrix} $	11092
0.49 1.33 1.19 0.62 1.18	$egin{array}{c} 0.41 \ 0.13 \ 0.98 \ 0.98 \ 0.10 \ 8 \ 0.83 \end{array}$	$\begin{bmatrix} 0.11 \\ 0.60 \\ 0.11 \\ 0.53 \\ 0.53 \\ \dots \end{bmatrix}$	8 0.86 1 0.74 0 1.16 1 1.09 3 1.01 1.12 3 0.75	$egin{array}{lll} 1.75 & 1.65 \\ 3.22 & 3.29 \\ 3.37 & 3.29 \\ 1.2.26 & 2.06 \\ 2.3.13 & 3.29 \\ \end{array}$	5 4.85 4.43 5 7.62 2.85 9 5.28 4.68 9 7.01 4.08 6 5.05 4.48 9 5.45 3.19 7 5.96 3.66	$5 \begin{vmatrix} 1.06 \\ 4 \begin{vmatrix} 1.41 \\ 8 \begin{vmatrix} 1.93 \\ 8 \begin{vmatrix} 1.87 \\ 9 \begin{vmatrix} 0.88 \end{vmatrix}$	$ \begin{array}{r} 11.53 \\ 11.33 \\ 13.02 \\ 11.40 \\ 9.52 \end{array} $	11.00 10.00 10.00 9.00 9.00	10.47 9.92 11.09 9.53 8.64	$ \begin{bmatrix} 10.00 \\ 9.00 \\ 8.00 \\ 8.00 \\ 8.00 $	$\begin{array}{c} 0.66 \\ 0.89 \\ 0.27 \\ 0.25 \\ 2.38 \end{array}$	$ \begin{array}{r} 1.24 \\ 0.89 \\ 0.94 \\ 1.21 \\ 4.56 \end{array} $	1.00 1.00 1.00 1.00 4.00	10994 10995

TABLE I-NITROGENOUS SUPERPHOSPHATES.

Station No.	Manufacturer and Brand.	Place of Sampling.	Dealer's cash price per ton.
10998 11108 10840 10753	Sampled by Station: Virginia-Carolina Chemical Co., New York City. Indian Brand for Tobacco No. 1. Indian Brand for Tobacco No. 2. National Corn, Grain and Grass Top Dresser Owl Brand Potato and Truck Fertilizer with 1% Potash XXXX Fish and Potash Mixture.	Simsbury	58.00
11001 10838	Wilcox Fertilizer Co., Mystic, Conn. Fish and Potash Potato, Onion and Vegetable Phosphate Tobacco Special. Sampled by Purchaser: Frisbie's 4-8-2.	EllingtonEllington	57.00 68.00

NITROGENOUS SUPERPHOSPHATES.

WITH POTASH—(Concluded).

Nitrogen.											Pb	osphori	c Acid.				Potash.		
e Total.					ole.	То	Total.		alled lable.''										
		Organic, water-soluble		Organic, water-insolub	Found	round.	Guaranteed.	Water-soluble.		Citrate-soluble	Citrate-insolul	Found.	Guaranteed.	Found.	Guaranteed.	As Muriate.	Total.	Guaranteed.	Station No.
0. 0. 1. 0. 0. 0.	01 08 96 67 03 01 03	0.03 0.23 0.14 0.03 0.23 0.09	3 1 1 0 1 0 5 0 8 0 1 1 1 9 3	.79 .57 .48 .38	4 3 1 2 2 3 4	.05 .37 .65 .20 .38 .45	4.12 1.65 1.65 2.46 3.30 4.12	1.5 6.5 5.1 5.1 7.8 8.0 1.6	54 52 19 17 80 04 35	2.26 1.74 3.27 2.78 1.38 2.64 2.90	1.45 0.86 1.62 1.32 0.67 3.10 4.02	5.25 9.12 10.08 9.27 9.85 13.78 8.57	5.00 9.00 9.00 9.00 9.00 11.00 6.00	3.80 8.26 8.46 7.95 9.18 10.68 4.55	8.00 8.00 8.00 8.00 10.00 4.00	0.21 0.37 0.32 0.37 1.32 1.12 1.06	1.24 1.30 0.98 1.24 1.32 1.12 1.69	1.00 1.00 1.00 1.00 1.00	11006 11001 10838
0	74	0.90	010	.75	3	. 36	13.28	13.5	031	4.87	12.03	10.43	9.00	8.40	8.00	1.66	2.46	2.00	10681
	2. 2. 0. 0. 1.	2.01 0.08 0.96 1.67 0.03 0.01 0.03	2.20 0.20 2.20 0.20 2.01 0.00 0.08 0.21 0.96 0.21 0.96 0.21 0.03 0.00 0.01 0.22 0.03 0.00	2.20 0.20 1 2.20 0.30 1 2.01 0.03 1 0.08 0.21 0 0.96 0.21 0 1.67 0.15 0 0.03 0.08 0 0.01 0.21 1 0.03 0.09 3	2.20 0.20 1.72 2.01 0.03 1.79 0.08 0.21 0.57 0.96 0.21 0.48 1.67 0.15 0.38 0.03 0.08 0.99 0.01 0.21 1.00 0.03 0.09 3.18	2.20 0.20 1.72 4 2.01 0.03 1.79 4 0.08 0.21 0.57 3 0.96 0.21 0.48 1 1.67 0.15 0.38 2 0.03 0.08 0.99 2 0.01 0.21 1.00 3 0.03 0.09 3.18 4	2.20 0.20 1.72 4.12 2.01 0.03 0.21 0.57 3.37 0.96 0.21 0.48 1.65 1.67 0.15 0.38 2.20 0.03 0.08 0.99 2.38 0.01 0.21 1.00 3.45 0.03 0.09 3.18 4.52	2.20 0.20 1.72 4.12 4.12 2.01 0.03 0.21 0.57 3.37 0.96 0.21 0.48 1.65 1.65 1.65 1.67 0.15 0.38 2.20 1.65 0.03 0.08 0.99 2.38 2.46 0.01 0.21 1.00 3.45 3.30 0.03 0.09 3.18 4.52 4.12	2.20 0.20 1.72 4.12 4.12 1.3 2.01 0.03 1.79 4.05 4.12 1.3 0.08 0.21 0.57 3.37 6.5 0.96 0.21 0.48 1.65 1.65 5.3 0.96 0.21 0.48 1.65 1.65 5.3 0.96 0.21 0.48 2.20 1.65 5.3 0.03 0.08 0.99 2.38 2.46 7.8 0.01 0.21 1.00 3.45 3.30 8.6 0.03 0.09 3.18 4.52 4.12 1.6	Total. Pengling Pengling	2.20 0.20 1.72 4.12 4.12 1.71 2.12 2.01 0.03 1.79 4.05 4.12 1.54 2.26 0.08 0.21 0.57 3.37 6.52 1.74 0.96 0.21 0.48 1.65 1.65 5.19 3.27 1.67 0.15 0.38 2.20 1.65 5.17 2.78 0.03 0.08 0.99 2.38 2.46 7.80 1.38 0.01 0.21 1.00 3.45 3.30 8.04 2.64 0.03 0.09 3.18 4.52 4.12 1.65 2.90	2.20 0.20 1.72 4.12 4.12 1.71 2.12 0.79 2.01 0.03 1.79 4.05 4.12 1.54 2.26 1.45 0.08 0.21 0.57 3.37 6.52 1.74 0.86 0.96 0.21 0.48 1.65 1.65 5.19 3.27 1.62 1.67 0.15 0.38 2.20 1.65 5.17 2.78 1.32 0.03 0.08 0.99 2.38 2.46 7.80 1.38 0.67 0.01 0.21 1.00 3.45 3.30 8.04 2.64 3.10 0.03 0.09 3.18 4.52 4.12 1.65 2.90 4.02	Total. Find Find	Total. Total. Page Pag	Total. Social Total. Total. Social Total. Total. Social Total. Social Total. Social Total. Social Total. T	Total. Total. So-called." So-called.	Total. So-called Available. Pearly Pea	Total. So-called Solution Solution	Total. So-called Available. Figure Fig

	TABLE II—NITROGENOUS SUPERPHO	SPHATES.	
Station No.	Manufacturer and Brand.	Place of Sampling.	Dealer's cash price per ton.
10772 10868 *10796	Ammoniated Fertilizer AAAA	Waterbury	\$32.00 50.00 44.00 49.00 46.00
10862 11008	Odorless Grass and Lawn Top Dressing without Potash	Ellington	39.00 63.00
11066 11009	Special Vegetable Fertilizer. 5–8 Fertilizer Bradley's Grain Fertilizer. Bradley's Root Crop Manure. Bradley's Special Corn Phosphate without Potash	Windsor Locks South Coventry	54.00 34.00 42.00 37.00
11011 11026 10789 10802	Bradley's Special Potato Fertilizer without Potash Bradley's Special Potato Manure without Potash Bradley's Tobacco Manure without Potash East India Tobacco Special without Potash	Willimantic. Ellington. Suffield. Burnside.	37.00 63.00 59.00
	Quinnipiac Special Corn Manure without Potash Quinnipiac Special Potato Phosphate without Potash Quinnipiac Wrapper Leaf Brand Tobacco Manure without Potash Williams and Clark's Seed Leaf Tobacco Manure without Potash 1916.		$\begin{vmatrix} 42.00 \\ 37.50 \\ 63.00 \end{vmatrix}$
11028	Williams and Clark's Special Americus Corn Phosphate without Potash		62.00 38.50
	Manure without Potash		38.50
10759	Victor Market Gardeners' Special Victor Potato and Vegetable Special Victor Tobacco Special (C. S. M. Base) Victor Tobacco Special (C. S. M. Base)	Cheshire	52.00 43.70 60.00
111022	Victor Top Dresser for Grass and Grain	Milidale	62.00
10828	2-104-10	Manchester	40.00 52.25
10873 10872 10792	Atlantic Packing Co., New Haven. Corn and Grain Fertilizer	New Haven New Haven New Haven	$ \begin{array}{r} 39.00 \\ 45.50 \\ 52.75 \end{array} $

^{*} See note on page 138.

† See note on page 139.

[‡] See table on page 140.

WITHOUT POTASH.

	Nitrogen.						Phosphoric Acid.						
		e.	ble.	Tot	al.		di	ole.	Tot	al.	So-ca "Avall	alled able."	
In Nitrates.	In Ammonia.	Organic, water-soluble.	Organic, water-insoluble.	Found.	Guaranteed.	Water-soluble.	Citrate-soluble.	Citrate-insoluble.	Found.	Guaranteed.	Found.	Guaranteed.	Station No.
0.46 0.85 1.36 1.10 1.02 1.90	0.09 0.22 0.58 0.62 0.64 0.05 1.42	$egin{array}{c} 0.44 \\ 0.66 \\ 0.28 \\ 0.21 \\ 0.15 \\ 0.13 \\ 0.21 \\ \end{array}$	0.36 0.52 0.70 0.68 0.66 3.34 0.68	0.89 1.86 2.41 2.87 2.55 4.54 4.21	0.82 1.65 2.47 3.29 2.47 4.53 4.11	5.78 6.14 8.12 7.30 5.57 1.04 6.74	4.53 4.33 2.94 3.10 4.38 3.63 3.48	1.20 2.17 0.84 1.09 1.41 0.24 1.43	11.51 12.64 11.90 11.49 11.36 4.91 11.65	11.00 11.00 11.00 11.00 11.00 4.00 11.00	10.31 10.47 11.06 10.40 9.95 4.67 10.22	10.00 10.00 10.00 10.00 10.00 3.00 10.00	10794 10772 10868 10796 11059 11005 10862
1.96 1.52 1.45 0.42 1.64 0.68 0.73 1.20 1.13 1.04 0.67 0.83	1.30 0.79 1.12 0.10 0.88 0.52 0.44 0.43 0.02 0.08 0.47 0.23	0.26 0.19 0.49 0.08 0.21 0.05 0.03 0.19 0.17 0.23 0.40 0.40	0.70 0.87 1.24 0.22 0.59 0.54 0.57 0.61 3.26 0.53 0.44	4.22 3.37 4.30 0.82 3.32 1.79 1.77 2.43 4.58 4.61 2.07	4.10 3.29 4.11 0.82 3.29 1.65 2.47 4.53 4.53 1.65	6.59 6.05 5.93 5.18 6.69 6.33 5.53 0.63 0.85 4.43 5.54	3.35 3.92 2.32 4.89 3.34 4.88 5.10 4.51 3.67 3.25 5.51 4.89	1.32 1.54 1.24 0.88 1.00 1.32 1.54 0.64 0.42 1.66	11.26 11.51 9.49 10.95 11.03 12.41 11.77 11.58 4.94 4.52 11.60 11.59	11.00 11.00 9.00 11.00 11.00 11.00 11.00 4.00 4.00 11.00 11.00	9.94 9.97 8.25 10.07 10.03 11.21 10.45 10.04 4.30 4.10 9.94 10.43	10.00 10.00 8.00 10.00 10.00 10.00 10.00 3.00 3.00 10.00 10.00	11008 11058 11066 11009 10899 11010 11011 11026 10789 10802 11032 11031
1.15	0.03	0.10	3.40	4.68	4.53	0.72	3.44	0.68	4.84	4.00	4.36	3.00	10790
0.98	0.10	0.69	3.06	4.83	4.53	0.57	3.21	0.45	4.23	4.00	3.78	3.00	10805
0.68	0.47	0.23	0.49	1.87	1.65	5.18	4.83	1.18	11.19	11.00	10.01	10.00	11028
0.74	0.40	0.23	0.48	1.85	1.65	5.28	4.72	1.22	11.22	11.00	10.00	10.00	11027
1.29 2.00 0.22 0.14 3.57	$\begin{array}{c} 0.31 \\ 0.52 \\ 2.15 \\ 1.85 \\ 1.79 \\ 0.40 \end{array}$	0.11 0.15 0.19 0.23 0.11 0.32	$\begin{array}{c} 0.42 \\ 0.73 \\ 0.66 \\ 1.65 \\ 2.25 \\ 0.74 \end{array}$	2.13 3.40 3.00 3.95 4.29 5.03	1.65 3.29 2.47 4.12 4.12 4.94	7.66 8.57 7.21 3.14 2.02 6.61	3.05 2.06 3.29 1.48 2.02 1.65	0.68 0.49 1.06 0.41 1.41 0.36	11.39 11.12 11.56 5.03 5.45 8.62	11.00 11.00 11.00 5.00 5.00 9.00	10.71 10.63 10.50 4.62 4.04 8.26	10.00 10.00 10.00 4.00 4.00 8.00	11023 10759 10912 11025 11175 11022
0.79	0.06 0.39 0.16	$0.15 \\ 0.20 \\ 0.65$	3.10 1.11 1.06	4.10 1.70 3.76	4.11 1.65 3.29	3.77 7.96 8.36	1.32 2.73 2.77	$1.43 \\ 1.25 \\ 1.41$	$\begin{array}{c} 6.52 \\ 11.94 \\ 12.54 \end{array}$	$4.50 \\ 10.50 \\ 10.50$	5.09 10.69 11.13	4.00 10.00 10.00	11024 10828 10865
0.96 0.48 1.19	$0.03 \\ 0.59 \\ 0.27$	$\begin{bmatrix} 0.29 \\ 0.60 \\ 1.02 \end{bmatrix}$	$0.58 \\ 0.71 \\ 1.05$	1.86 2.38 3.53	1.64 2.46 3.29	6.77 6.36 6.35	3.64 4.24 4.63	$0.73 \\ 1.02 \\ 2.61$	11.14 11.62 13.59	11.00 11.00 11.00	10.41 10.60 10.98	10.00 10.00 10.00	10873 10872 10792

TABLE II-NITROGENOUS SUPERPHOSPHATES.

	·		
Station No.	Manufacturer and Brand.	Place of Sampling.	Dealer's cash price per ton.
10911 10910	Sampled by Station: Atlantic Packing Co., New Haven. (Continued). Tobacco Special. Top Dresser for Grass and Market Garden	South Windsor New Haven	\$57.00 56.75
11041 11043 11040 *10775 10863	Grass Special Market Garden Fertilizer. Potato and Vegetable Phosphate Root Fertilizer. Tobacco Grower	Chester	40.00 58.00 52.00 45.00 45.00 57.00 68.00
11056	F. E. Boardman, Middletown, Conn. Fertilizer for Tobacco and General Crops	Factory	
10795 11034 10834 10717 10758 10793 11104 11035 10882	High Nitrogen Mixture without Potash One Ten Sure Crop. Stockbridge Five Eight General Crop. Superphosphate with Ammonia 2%. Superphosphate with Ammonia 3%. Superphosphate with Ammonia 4%. Superphosphate with Ammonia 5%. Three Ten All Round. Tobacco Grower 1916.	Willimantic	53.00 84.00 32.00 58.00 42.00 44.75 49.50 53.00 45.00 62.00 41.00
	F. O. Brown, Leonards Bridge, Conn.	Guilford	48.00
10878	E. D. Chittenden Co., Bridgeport, Conn. Grass and Grain without Potash Potato Special without Potash Tobacco Special without Potash Vegetable and Onion Grower without Potash	Broad Brook	46.50 54.00 66.75 47.00
10652	High Grade Special Fertilizer	Factory	43.00 46.00 46.00
10958 10883	The Coe-Mortimer Co., New York City. Connecticut Wrapper Grower without Potash Excelsior Potato Fertilizer 1916	Poquonnock	64.00 83.00

^{*} See Note on page 139.

[†] See table on page 140.

NITROGENOUS SUPERPHOSPHATES.

WITHOUT POTASH—(Continued).

Nitrogen.						Phosphoric Acid.							
		. l	ble.	То	tal.			ole.	To	tal.	So-c: "A val	alled lable.''	
In Nitrates.	In Ammonia.	Organic, water-soluble.	Organic, water-insoluble.	Found.	Guaranteed.	Water-soluble.	Citrate-soluble.	Citrate-insoluble.	Found.	Guaranteed.	Found.	Guaranteed.	Station No.
1.95 0.74	$0.03 \\ 1.76$	$0.86 \\ 0.64$	1.32 0.75	4.16 3.89	4.10 4.10	$\frac{2.77}{5.45}$	4.27 3.08	1.02 0.63	8.06 9.16	7.00 9.00	7.04 8.53	6.00	10911 10910
0.48 3.50 1.45 1.00 1.17 1.30 2.75	0.01 0.01 0.06 0.04 0.02	0.06 0.17 0.10 0.13 0.03 0.64 0.30	0.73 1.39 2.14 1.21 1.50 2.53 2.23	1.27 5.06 3.70 2.35 2.76 4.51 5.30	0.80 5.00 3.30 1.70 2.50 4.11 5.00	3.58 0.65 1.64 3.36 1.12 1.37 1.46	6.87 4.77 5.82 6.27 6.46 2.62 2.02	0.51 0.35 0.75 0.83 1.46 0.41 1.73	10.96 5.77 8.21 10.46 9.04 4.40 5.21	11.00 6.00 9.00 11.00 9.00 4.00 5.00	10.45 5.42 7.46 9.63 7.58 3.99 3.48	10.00 5.00 8.00 10.00 8.00 3.00 4.00	11042 11041 11043 11040 10775 10863 11063
1.36	0.09	0.59	1.50	3.54	3.29	2.03	5.39	0.97	8.39		7.42	7.00	11056
1.34 3.82 0.46 1.60 0.63 1.14 1.66 1.59 1.18 0.97 0.65	1.12 3.13 0.12 1.28 0.27 0.39 0.38 1.15 0.76 0.07	0.50 0.30 0.17 0.35 0.29 0.38 1.36 0.46 0.24 0.40 0.32	0.44 1.04 0.26 0.83 0.55 0.57 0.71 1.14 0.35 2.88 0.58	3.40 8.29 1.01 4.06 1.74 2.48 4.11 4.34 2.53 4.32 1.78	3.29 8.23 0.82 4.11 1.65 2.47 3.29 4.11 2.47 4.11 1.65	5.87 4.61 6.11 6.92 6.91 6.90 7.53 5.81 6.91 0.94 7.65	4.32 1.07 3.56 1.91 3.72 2.98 2.94 2.48 3.11 3.58 3.28	0.74 0.72 0.95 1.97 1.84 2.47 1.94 1.28 1.11 0.61 1.57	10.93 6.40 10.62 10.80 12.47 12.35 12.41 9.57 11.13 5.13 12.50	11.00 6.00 11.00 9.00 11.00 11.00 11.00 9.00 11.00 5.00 11.00	10.19 5.68 9.67 8.83 10.63 9.88 10.47 8.29 10.02 4.52 10.93	10.00 5.00 10.00 8.00 10.00 10.00 10.00 8.00 10.00 4.00 10.00	11044 10795 11034 10834 10717 10758 10793 11104 11035 10882 10879
1.22	0.42	0.64	0.82	3.08	2.87	8.30	2.60	0.63	11.53	11.00	10.90	10.00	10799
0.14 2.33 0.20	3.73 0.63 2.62 1.63	0.03 0.14 0.02 0.23	$0.59 \\ 0.21 \\ 1.71 \\ 0.41$	4.49 3.31 4.55 2.27	4.12 3.29 4.52 2.47	7.97 5.95 0.99 8.77	1.62 5.06 2.07 2.29	0.36 0.96 0.78 0.27	9.95 11.97 3.84 11.33	11.00 11.00 4.00 11.00	9.59 11.01 3.06 11.06	10.00 10.00 3.00 10.00	11125 10878 11106 10757
1.52 1.61	0.65		$\stackrel{\widetilde{46}}{1.35}$	$2.63 \\ 3.30 \\ 3.21$	2.47 3.29 3.29	5.46 9.68	4.73 1.33	1.18 0.24	11.37 11.25 11.69	11.00 11.00 11.00	10.19 11.01	10.00 10.00	10653 10652 10658
1.05 1.98	0.05 1.34	0.19 0.09	$\frac{3.26}{1.11}$	$\frac{4.55}{4.52}$	4.53 4.11	0.78 8.71	$\frac{2.95}{1.77}$	0.40 0.96	4.13 11.44	$\frac{4.00}{11.00}$	3.73 10.48	3.00 10.00	10958 10883

TABLE II-NITROGENOUS SUPERPHOSPHATES.

Station No.	Manufacturer and Brand.	Place of Sampling.	Dealer's cash price per ton.
*10884 10788 11077	Prolific Crop Producer 1916	Greenwich Middletown Milford Simsbury Milford	\$64.00 47.00 59.75 72.00
10881 10880 10835	Grain, Grass and Potato Fertilizer	North Haven	52.00 42.00 48.00 55.00 65.00
10711 10716 10885 †10963	Corn and Grain Fertilizer. Market Garden and Top Dressing. Potato and Vegetable Grower. Tobacco Special.	Meriden. Meriden. New Haven. Cheshire. Hartford.	58.00 41.50 60.00 49.00 61.75
10875 11074 †10960 10961 11133	Buffalo Garden Truck	West Suffield. New Milford. Ansonia. Granby. Warehouse Point. West Suffield.	35.63 50.00 41.00 44.00 62.50 59.85
10824 10874 11073	Celebrated Tobacco Fertilizer without Potash Complete Tobacco Fertilizer without Potash Plant Food 1916	Rockville	63.00 60.00 46.00 53.00
*10970 10969 10968 10818	Empress Brand Potato Manure Potato Phosphate	Wallingford. Rockville. Southington Saybrook. Suffield. Rockville	52.00 44.00 38.00 49.00 51.00 66.00
10971	E. Manchester & Sons, Winsted, Conn. Manchester's 1918 Formula	Ellington	43.00

^{*} See table on page 140.

† See note on page 138.

‡ See note on page 141.

WITHOUT POTASH—(Continued).

		Nitro	ogen.		-	Phosphoric Acid.							
		1		To	tal.			Je.	Tot	al.	So-ca "Avail	alled able."	
In Nitrates.	In Ammonia.	Organic, water-soluble.	Organic, water-insoluble.	Found.	Guaranteed.	Water-soluble.	Citrate-soluble.	Citrate-insoluble	Found.	Guaranteed.	Found.	Guaranteed.	Station No.
1.13 0.58 1.83 1.20 3.50	$ \begin{array}{c c} 0.08 \\ 0.48 \\ 0.06 \end{array} $	$0.75 \\ 0.44 \\ 0.43 \\ 0.11 \\ 0.34$	0.44 0.67 0.67 0.67 0.80	2.52 1.72 3.41 4.54 6.91	2.47 1.65 3.29 4.11 6.58	6.51 6.31 7.25 3.26 6.86	3.86 3.75 2.85 1.58 1.24	1.74 2.02 1.18 0.42 0.77	12.11 12.08 11.28 5.26 8.87	11.00 11.00 11.00 5.00 9.00	10.37 10.06 10.10 4.84 8.10	10.00 10.00 10.00 4.00 8.00	10884 10788 11077
1.26 0.08 1.31 1.27 1.77		$0.45 \\ 0.47 \\ 0.53 \\ 0.87 \\ 0.95$	0.61 0.45 0.83 0.94 1.50	2.35 1.06 3.04 3.29 4.37	2.46 0.82 2.87 3.28 4.10	6.96 8.58 7.90 5.82 0.92	3.02 3.39 2.61 4.81 4.93	$\begin{array}{c} 0.68 \\ 1.69 \\ 0.61 \\ 2.29 \\ 1.25 \end{array}$	10.66 13.66 11.12 12.92 7.10	11.00 13.00 11.00 11.00 5.00	9.98 11.97 10.51 10.63 5.85	10.00 12.00 10.00 10.00 4.00	10881 10880 10835
1.02 0.93 0.87 1.27 1.54	$\begin{array}{c} 0.75 \\ 0.28 \\ 1.80 \\ 0.30 \\ 0.05 \end{array}$	0.32 0.08 0.61 1.05 0.66	0.52 0.51 0.69 0.99 1.39	2.61 1.80 3.97 3.61 3.64	2:46 1.64 4.10 3.28 4.10	7.47 6.50 5.88 5.68 2.82	2.40 3.46 3.25 4.60 3.75	0.15 0.58 0.70 2.58 0.65	$ \begin{array}{c} 10.02 \\ 10.54 \\ 9.83 \\ 12.86 \\ 7.22 \end{array} $	11.00 11.00 9.00 11.00 7.00	9.87 9.96 9.13 10.28 6.57	10.00 10.00 8.00 10.00 6.00	10877 10711 10716 10885 10963
0.38 1.04 0.17 1.15 0.95 1.40	$\begin{array}{ c c c c }\hline 0.90 \\ 0.26 \\ 0.41 \\ 0.72 \\ \end{array}$	0.43 0.09 0.18 0.18 0.08	0.37 0.99 0.78 1.08 2.29 1.48	0.98 3.36 1.30 2.82 4.14 3.94	0.80 3.30 1.60 2.50 4.10 4.10	6.61 6.24 4.46 7.15 1.07	3.92 4.50 5.49 3.49 3.20 2.78	1.05 1.46 1.60 0.92 0.67 0.78	11.58 12.20 11.55 11.56 4.94 4.87	11.00 11.00 11.00 11.00 5.00 5.00	10.53 10.74 9.95 10.64 4.27 4.09	10.00 10.00 10.00 10.00 4.00 4.00	11074 10960 10961 11133
1.54 1.40 1.62 0.17 1.82	$\begin{vmatrix} 0.05 \\ 0.89 \\ 0.15 \end{vmatrix}$	$0.40 \\ 0.07 \\ 0.36 \\ 0.27 \\ 0.43$	1.01 2.89 1.09 0.37 0.58	3.85 4.41 3.96 0.96 3.58	4.11 4.53 4.11 0.82 3.29	5.66 2.28 1.62 6.85 8.34	2.61 1.30 2.61 3.62 2.17	$ \begin{array}{r} 1.45 \\ 0.55 \\ 1.23 \\ 0.97 \\ 1.05 \end{array} $	9.72 4.13 5.46 11.44 11.56	9.00 4.00 5.00 11.00 11.00	8.27 3.58 4.23 10.47 10.51	8.00 3.00 4.00 10.00 10.00	11105 10824 10874 11073
0.96 0.69 0.09 1.13 1.28 2.14	$\begin{bmatrix} 0.41 \\ 0.42 \\ 0.76 \\ 0.29 \end{bmatrix}$	0.49 0.40 0.54 0.36 0.96 0.59	0.67 0.52 0.52 0.54 1.04 1.45	2.71 2.02 1.57 2.79 3.57 4.25	2.87 2.05 1.23 2.46 3.28 4.10	6.49 7.09 7.60 7.57 5.77 2.84	4.27 3.99 3.03 2.26 5.25 4.16	0.47 0.42 0.40 0.26 1.96 0.88	11.23 11.50 11.03 10.09 12.98 7.88	11.00 11.00 11.00 11.00 11.00 7.00	10.76 11.08 10.63 9.83 11.02 7.00	10.00 10.00 10.00 10.00 10.00 6.00	10970 10969 10968 10818
0.40	0.15	0.91	1.04	2.50	2.47	5.40	4.73	1.20	11.33		10.13	10.00	10971

TABLE II-NITROGENOUS SUPERPHOSPHATES.

Station No.	Manufacturer and Brand.	Place of Sampling.	Dealer's cash price per ton.
10000	Sampled by Station: The Mapes Formula & Peruvian Guano Co., New York City.		@ ~ 0.00
10826	5% Ammonia Special	Hartford	\$53.00
10712 10974	National Fertilizer Co., New York City. Nitrogen Phosphate Mixture No. 1 Nitrogen Phosphate Mixture No. 2 Nitrogen Phosphate Mixture No. 3 Nitrogen Phosphate Mixture No. 4 Nitrogen Phosphate Mixture No. 5 Tobacco Special without Potash.	Wallingford Suffield	45.00 54.00 60.00
†10825 *10836 11200 †10769	New England Fertilizer Co., Boston, Mass. Corn and Grain Fertilizer Potato Fertilizer Special Tobacco Manure (5–4) Superphosphate	Madison Rockville Suffield Suffield	36.00 47.00 60.00 48.00
10764 11039 10763 11174	Special H. G. Tobacco Starter	Factory	41.75 98.75
†10981	Plymouth Rock BrandStar Brand Superphosphate	Bloomfield Highwood Hartford	46.00
	Hubbard's Bone Base Soluble Corn and General	Milford	68.00
10989 11094	Crops. R. and H. All Round Phosphate. R. and H. All Soils—All Crops Phosphate. R. and H. Bone Base Soluble Tobacco Manure. R. and H. Climax Tobacco Brand.	South Manchester Hamden Gildersleeve Windsor	50.00 38.00 70.00
10806 10827	R. and H. Complete Phosphate R. and H. Potato Phosphate R. and H. Potato Phosphate	South Manchester South Manchester	35.00 48.00
10991 †10762 11089		New Canaan	59.00 33.75 32.00 45.00 53.00

^{*} See note on page 138.

† See table on page 140.

WITHOUT POTASH—(Continued).

	Nitrogen.						Phosphoric Acid.						
			ble.	To	tal.		6	ole.	То	tal.	So-c: "Avai	alled lable.''	
In Nitrates.	In Ammonia.	Organic, water-soluble.	Organic, water-insoluble.	Found.	Guaranteed.	Water-soluble.	Citrate-soluble.	Citrate-insoluble.	Found.	Guaranteed.	Found.	Guaranteed.	Station No.
3.10	0.03	0.03	1.09	4.25	4.12	3.23	5.40	2.83	11.46	10.00	8.63	8.00	10826
0.56 0.47 0.75 1.92 0.62	0.10 0.21 0.15 0.98 1.20 0.06	0.29 0.50 0.81 0.61 0.25 0.72	0.48 0.58 1.27 1.07 0.77 3.18	0.87 1.85 2.70 3.41 4.14 4.58	0.82 1.65 2.47 3.29 4.11 4.53	7.95 4.93 5.73 7.25 5.79 0.71	2.76 4.42 4.06 3.03 3.13 2.86	2.07 2.32 1.77 1.50 1.16 0.49	12.78 11.67 11.56 11.78 10.08 4.06	11.00 11.00 11.00 11.00 9.00 4.00	10.71 9.35 9.79 10.28 8.92 3.57	10.00 10.00 10.00 10.00 8.00 3.00	
1.01 2.18 1.35	0.53 0.37 0.08 0.49	0.29 0.21 1.08 0.40	$0.54 \\ 0.50 \\ 1.03 \\ 0.64$	1.36 2.09 4.37 2.88	1.23 2.46 4.10 2.87	7.90 6.74 0.81 7.99	2.83 3.61 5.68 2.23	$0.36 \\ 0.51 \\ 1.52 \\ 0.59$	11.09 10.86 8.01 10.81	11.00 11.00 7.00 11.00	10.73 10.35 6.49 10.22	10.00 10.00 6.00 10.00	10825 10836 11200 10769
0.84 2.64 3.21 1.20 0.96 0.91	0.08 0.13 0.13 0.09 0.06 0.05	0.17 0.14 0.65 0.23 0.10 0.17	0.70 2.20 5.29 1.08 3.36 3.30	1.79 5.11 9.28 2.60 4.48 4.43	1.65 4.95 9.06 2.45 4.11 4.11	6.06 3.79 1.94 6.02 1.65 1.55	4.51 1.71 2.37 3.43 2.66 1.85	1.05 0.59 0.45 0.68 0.37 0.35	11.62 6.09 4.76 10.13 4.68 3.75	10.00 4.00 3.00 8.00 3.00 3.00	10.57 5.50 4.31 9.45 4.31 3.40	10.00 4.00 3.00 8.00 3.00 3.00	10764 11039 10763 11174
$0.65 \\ 1.09 \\ 1.20$	$0.02 \\ 0.58 \\ 0.35$	$0.23 \\ 0.47 \\ 0.42$	$0.28 \\ 0.77 \\ 0.65$	$ \begin{array}{c} 1.18 \\ 2.91 \\ 2.62 \end{array} $	1.23 2.87 2.46	7.99 7.02 6.56	2.36 3.70 3.97	1.32 0.55 1.09	11.67 11.27 11.62	11.00 11.00 11.00	10.35 10.72 10.53	10.00 10.00 10.00	10981
4.88	0.13	0.67	0.66	6.34	6.00	0.05	5.02	6.83	11.90	12.00	5.07	6.00	10722
0.84 1.37 1.92 2.49 0.84 0.76 1.21	0.21 0.02 0.10 0.16 0.31 0.09 0.19	0.51 0.15 0.52 1.09 0.35 0.07 0.09	$ \begin{array}{c} 0.88 \\ 0.28 \\ 0.86 \\ 1.31 \\ 2.53 \\ 0.37 \\ 0.76 \end{array} $	2.44 1.82 3.40 5.05 4.03 1.29 2.25	2.50 1.62 3.30 5.00 4.12 1.00 2.00	2.96 3.87 4.91 2.04 0.09 3.94 6.35	6.54 2.68 6.46 8.50 2.73 3.48 6.53	5.16 1.75 5.03 4.59 3.85 1.93 4.03	14.66 8.30 16.40 15.13 6.67 9.35 16.91	12.00 7.50 13.50 13.00 4.00 8.00 15.00	9.50 6.55 11.37 10.54 2.82 7.42 12.88	10.00 7.00 12.50 10.00 3.00 7.50 14.00	10988 10989 11094 10990 10806
0.17 0.08 0.11	$\begin{bmatrix} 1.94 \\ 0.64 \\ 0.10 \\ 1.12 \\ 2.04 \end{bmatrix}$	$egin{array}{c} 0.16 \\ 0.42 \\ 0.37 \\ 0.48 \\ 0.21 \\ \end{array}$	1.75 0.75 0.49 0.99 1.49	4.02 1.89 0.96 2.59 3.85	$\begin{array}{c} 4.11 \\ 1.65 \\ 0.82 \\ 2.47 \\ 3.29 \end{array}$	8.12 6.35 3.39 4.95 8.35	$ \begin{array}{c} 2.05 \\ 3.43 \\ 4.40 \\ 3.28 \\ 1.84 \end{array} $	0.82 1.15 1.46 1.47 0.75	9.70	$ \begin{array}{c} 10.50 \\ 8.50 \\ 8.50 \\ 8.50 \\ 10.50 \end{array} $	$10.17 \\ 9.78 \\ 7.79 \\ 8.23 \\ 10.19$	10.00 8.00 8.00 8.00 10.00	10991 10762

TABLE II-NITROGENOUS SUPERPHOSPHATES.

Station No.	Manufacturer and Brand.	Place of Sampling.	Dealer's cash price per ton.
†10819 11091 11123	Sampled by Station: F. S. Royster Guano Co., Baltimore, Md. (Cont.) †Overland Top Dresser. Overland Top Dresser. Penguin Ammoniated Superphosphate Perfecto Tobacco Formula. †Perfecto Tobacco Formula.	CheshireGlastonbury	\$60.00 57.00 35.50 63.00 58.00
11138 10831 10760 10996	Phosphate without Potash	Westport. East Hartford. Shelton. Plainville. Silver Lane. Mt. Carmel.	50.00 49.00 41.00 45.00 60.00
‡11109	The C. M. Shay Co., Groton, Conn. Shay's Formula 4-8	Groton	48.00
10766	M. L. Shoemaker & Co., Philadelphia, Pa. Swift-Sure Superphosphate for Tobacco and General Use	Windsor Locks	55.00
10839	Springfield Rendering Co., Springfield, Mass. Animal Fertilizer	Thompsonville	48.00
11000 10999	H. G. Corn and Vegetable Compound without	Simsbury	37.50 45.00
10765 11107	Indian Brand for Tobacco without Potash		
11004	Grain Fertilizer	Ellington	51.50 39.00 56.50
11007	Worcester Rendering Co., Auburn, Mass. Royal Worcester Potato and Vegetable Fertilizer	Norwich	49.25
		Branford:—The A. E. Plant Sons' Co	54.00
	Frisbie's Potato and Vegetable Grower Olds & Whipple's Complete Tobacco Special	Plant Sons' Co West Suffield:—H. C.	49.25
		Nelson	<u> </u>

^{*} See Note on page 138.

† See note on page 141.

‡ See table on page 140.

NITROGENOUS SUPERPHOSPHATES.

WITHOUT POTASH—(Concluded).

		Nitro	gen.		İ			Pl	nosphoric	Acid.			
		9	ble.	Tot	tal.		4.	ble.	Tot	al.	So-ca "Avall	lled able."	
In Nitrates.	In Ammonia.	Organic, water-soluble.	Organic, water-insoluble.	Found.	Guaranteed.	Water-soluble.	Citrate-soluble.	Citrate-insoluble.	Found.	Guaranteed.	Found.	Guaranteed.	Station No.
0.05 0.06 0.21 0.13	2.24 1.95 1.00 0.89 0.93	0.29 0.66 0.26 0.40 0.24	1.42 1.84 0.54 2.62 2.51 1.35 1.14	4.00 4.45 1.86 4.12 3.81 3.19 3.11	4.94 4.94 1.65 4.11 4.11 3.29 3.29	2.90 5.16 6.81 1.94 2.26 6.52 8.05	1.42 3.56 3.25 2.32 2.10 4.01 2.13	0.59 1.51 1.07 0.58 0.55	4.91 10.23 11.13 4.84 4.91 11.60 10.72	5.50 5.50 10.50 4.50 4.50	4.32 8.72 10.06 4.26 4.36	5.00 10.00 4.00 4.00 10.00	11132 10819 11091 11123 10791 11110 11138
0.47 0.63 1.04 1.94	0.10 0.12 0.05 0.67	$0.58 \\ 0.54 \\ 0.17 \\ 0.67$	0.58 1.13 3.01 1.28	1.73 2.42 4.27 4.56	1.65 2.47 4.53 4.11	4.54 6.10 0.98 6.09	5.47 3.93 2.96 2.40	1.61 2.02 0.51 1.74	11.62 12.05 4.45 10.23	11.00 11.00 4.00 9.00	10.01 10.03 3.94 8.49	10.00 3.00 8.00	10831 10760 10996 10719
0.85	0.06	0.90	1.41	3.22	3.30	8.27	3.85	2.88	14.34	11.00	11.46	9.00	10766 10839
0.29 0.16	0.94 1.83	0.06	0.46 0.24 0.46	2.43 1.47 2.51	2.46 1.65 2.47	7.76 8.16 7.70	3.33 2.81	0.20	12.96 11.69 10.91	11.00 11.00	11.89 11.49 10.51	10.00	11000 10999
$0.09 \\ 0.34$ 2.17 0.82	1.89 2.42 	0.29 0.11 0.05	1.51 0.62 1.53 0.94	3.78 3.38 3.81 1.83	4.12 3.29 3.39 1.65	4.31 5.42 9.83 8.79	$0.85 \\ 2.68 \\ . \\ 2.31 \\ 2.73$	0.38 1.34 3.97 0.24	5.54 9.44 16.11 11.76	5.00 9.00 11.00 11.00	5.16 8.10 12.14 11.52	8.00 10. 0 0	10765 11107 10837 11004
0.48	0.02	0.53	1.14	3.92 2.70	4.12 3.29	7.41	2.58 4.89	4.16 3.30	14.15 15.54	9.00	9.99	10.00	11002
$\begin{vmatrix} 0.77 \\ 1.22 \\ 1.16 \end{vmatrix}$	$\begin{bmatrix} 1.81 \\ 0.22 \\ 0.04 \end{bmatrix}$	0.52 1.06 0.93	0.82 0.97 2.15	3.92 3.47 4.28	4.10 3.29 4.13	5.37 6.02 1.67	3.26 4.39 1.60	0.61 2.32 0.31	9.24 12.73 3.58	9.00 11.00 3.00	8.63 10.41 3.27	10.00	10680 10679 10662
1.10	0.01	0.90	2.10	7.40	7.10	1.07	1.00	0.01	0.00	3.00	0.21	, , ,	110002

VI. MISCELLANEOUS FERTILIZERS AND WASTE PRODUCTS.

SHEEP MANURE.

11126. Sheep Manure. Sold by Armour Fertilizer Works, Chrome, N. J. Stock of Chas. Templeton, Waterbury.

11217. Sheep Manure. Sold by Armour Fertilizer Works, Chrome, N. J. Stock of Quality Seed Store, Stamford.

10735. Magic Brand Ground Sheep Manure. Sold by Chicago Feed & Fertilizer Co., Chicago, Ill. Stock of F. S. Platt Co., New Haven.

11363. Sheep Manure. Sold by Mid-West Potash Co., Omaha, Neb. Sampled and sent by S. D. Woodruff & Sons, Orange.

10817. "Sheeps Head" Pulverized Sheep Manure. Sold by Natural Guano Co., Aurora, Ill. Stock of F. S. Bidwell & Co., Windsor Locks.

11278. Wizard Brand. Sold by F. S. Platt Co., New Haven. Sampled and sent by J. W. Anderson, West Haven.

10206. Wizard Brand. Sold by Pulverized Manure Co., Chicago, Ill. Stock of F. S. Platt Co., New Haven.

11350. Sheep Manure. Sold by E. J. Weckbach, Denver, Col. Sampled and sent by S. D. Woodruff & Sons, Orange.

11189. Sheep Manure. Brand unknown. Sampled and sent by Mrs. L. P. Wheeler, Westville.

10726. Sheep Manure. Brand unknown. Sampled and sent by M. H. Pratt, Hartford.

11126, from the Armour Fertilizer Works, failed to meet its guaranty in potash while the amounts of nitrogen and phosphoric acid considerably overran the guaranteed percentages. At the request of the Armour Works a second sample was drawn from a different lot, 11217, which fully met the guaranty. Sheep manure cannot be expected to have a very uniform composition. Thus, in the 35 samples tested here in the last seven years, nitrogen has ranged from 1.0 per cent. to 2.74, phosphoric acid from 0.83 to 2.99, and water-soluble potash from 0.74 to 4.39 per cent. The average of all these analyses is

Nitrogen	2.09
Phosphoric acid	1.77
Water-soluble notash	2 43

ANALYSES OF SHEEP MANURE.

Station No	11126	11217	10735	11363	10817	11278	10206	11350	11189	10726
Per cent. of										
Nitrogen as nitrates	0.56	0.09	0.22				0.10			
" as ammonia	0.36	0.01	0.07		0.30		0.10			
" as organic	1.30		1.29		2.14		1.84			
total found	2.22	1.55	1.58	2.50	2.44	1.92	2.04	1.36	2.20	1.95
" total guaranteed	1.65	1.65	1.85		2.25		1.80			
Phosphoric acid, water-										
soluble	0.45	0.04	0.09		1.25		0.38			
Phosphoric acid, citrate-										
soluble	1.55	1.19	0.67		0.37		1.68			
Phosphoric acid, citrate-										
insoluble	0.49	0.14	0.14		0.20		0.10			
hosphoric acid total found. " total guar-	2.49	1.37	0.90		1.82		2.16		2.84	2.66
" total guar-										
anteed	1.00	1.00	1.50		1.25		*			
Nater-soluble potash found.	1.97	3.54	3.24		[2.07]		2.00		1.36	
" guaran-										
teed	3.25	3.25	1.25		1.50		1.00			
Chlorine	0.30	1.24	1.75		0.58		0.64			
Cost per ton	\$50.00	56.00	39.00		45.00		40.00			

^{*} Guaranty 1 per cent. "available."

11363 and 11350, sent by S. D. Woodruff & Sons, and 10726, sent by M. H. Pratt, Hartford, contain 41.62, 69.59 and 46.43 per cent. of mineral matter, sand and soil, respectively.

Obviously, such stuff is unfit for transportation from the West to Connecticut.

While sheep manure may be used in some cases in place of horse manure, in greenhouse work and on small lawns, it cannot profitably be used in farm practice, at any such prices as are charged at present.

RABBIT MANURE.

11359. Rabbit Manure. Sent by P. B. Burnett, Falls Village. It contained 1.02 per cent. of nitrogen in ammonia, 2.68 per cent. total nitrogen, 0.90 per cent. phosphoric acid and 1.11 per cent. of potash.

BAT GUANO.

11450 and 11451. Bat guano from the bat caves, Isle of Pines, sent by Kopf Bros., New Haven. Analyses were as follows:

	11450	11451
Moisture	5.14	2.66
Ash	22.98	14.94
Organic and volatile	71.88	82.40
Total nitrogen	0.76	0.14
Phosphoric acid	8.88	4.64
Potash	1.42	0.00

ASHES.

Twenty-one samples of wood or other ashes have been analyzed and are included in table, page 165.

9699 is ashes from brass works sent to determine their agricultural value.

9750 is ashes from witch hazel brush which had been extracted in a witch hazel factory and then burned under the boilers.

9749 and 11356 are from the same factory, but are mixtures of wood and coal ashes.

11199 and 10595 were sent to determine their quality, before purchase.

10678 and 10677 probably do not represent material offered for sale but were sent with inquiry as to their value.

Only the following samples were drawn by the sampling agent of the Station—11139, 11054, 9750, 9749, 10615, 10861, 10897. Of these only three, 9750, 10615 and 10897, can be classed as wood ashes of fair quality. A number of samples sent by individuals are also of good quality.

If we reckon lime as worth 50 cents per 100 lbs. and phosphoric acid at 6 cents, the water-soluble potash in **10861** cost about 35.6 cents per pound which at present potash quotations is not extraordinarily high.

LIME AND LIME-KILN ASHES.

9707. Slaked lime. Sold by the New England Lime Co., East Canaan. Sent by B. G. Southwick, Storrs.

11293. Lime. Sent by A. L. Chamberlain, New Haven.

9705 and 9706. Lime Kiln Ashes made by the New England Lime Co., East Canaan. Sent by B. G. Southwick.

	9707	11293	9705	9706
Water-soluble potash			0.45	1.42
Lime	32.48	33.41	34.58	28.82
Magnesia	16.75	15.57	7.54	8.43

ANALYSES OF WOOD ASHES.

Cost per ton.	\$18.00 24.00 24.00 39.00 26.00 30.00
Phosphoric Acid.	1.1931 1.1931
Lime.	31.80 36.28 36.28 37.77 77.74 32.70 33.27 30.59 30.50 30.50 30.50 30.50 30.50 30.50 30.50 30.50 30.50 30.50 30.50 30.50
Water-soluble potash.	1.77 1.75 1.75 1.75 1.75 1.75 1.75 1.75
Insoluble in .(bnss) biss	6.82 30.97 9.46 9.46 9.86 9.86 9.89 11.74 11.49 9.50 9.50 9.50 9.50 9.50
Water.	59.00
Car No. and Dealer or Purchaser.	Alphano Humus Co., New York. M. M. Smith, Shaker Station. Amer. Agr. Chem. Co., New York. Milo Smith, Shaker Station. Benjamin Betts, Fairfield. Bristol Brass Co., Bristol, Conn. Frank S. Platt Co., New Haven. E. E. Dickinson & Co., Essex, Conn. E. E. Dickinson & Co., Essex, Conn. Car 44354. The Griffin Tobacco Co., Hartford. The Griffin Tobacco Co., Hartford. Thomas Grisvold Co., South Wethersfield. John Joynt, Lucknow, Ont. The Griffin Tobacco Co., Hartford. John Joynt, Lucknow, Ont. Henry Fuller, Suffield. John Joynt, Lucknow, Ont. Hitchcock & George, Warehouse Point. John Joynt, Lucknow, Ont. Hitchcock & George, Warehouse Point. John Joynt, Lucknow, Ont. Hitchcock & George, Warehouse Point. John Joynt, Lucknow, Ont. Hitchcock & George, Warehouse Point. John Joynt, Lucknow, Ont. Hitchcock & George, Warehouse Point. John Joynt, Lucknow, Ont. Hitchcock & George, Warehouse Point. John Joynt, Lucknow, Ont. Hitchcock & George, Warehouse Point. John Joynt, Lucknow, Ont. Henry Fuller, Suffield. Samuel H. Reid, Suffield. Samuel H. Artford. Car 21159. L. Wetstone, Chas. Stevens, Napanee, Ont. John B. Cannon, Granby. Yalesville. Yalesville.
CoN moitsta	11139 11054 11054 9750 9750 9749 111356 110985 110615 110861 110861 11087 110673 10773 10

*\$6.50 per unit of potash.
† Magnesia, 3.74.

MUCK, PEAT, HUMUS, ETC.

Five samples have been examined as follows:

9996, 9997 and 9998. Muck. Sent by A. B. Smith, Clintonville.

10516. Muck. Sent by Chas. Scheer, Kensington.

11342. Old deposit of vegetable matter underlying two feet of muck. Sent by E. Jay Teagarden, Danbury.

Station No	9996	9997	9998	10516	11342
Composition as received:					
Water	63.03	69.03	72.86	65.31	72.88
Mineral matter	6.36	14.86	9.42	2.77	18.49
Organic matter	30.61	16.11	17.72	31.92	8.63
Nitrogen	0.76	0.40	0.45	0.32	0.25
Phosphoric acid	0.01	trace	trace	*	*
Potash	0.03	0.01	0.02	*	trace
On water-free basis:					
Mineral matter	17.20	47.98	34.71	7.99	68.18
Organic matter	82.80	52.02	65.29	92.01	31.82
Nitrogen	2.05	1.29	1.66	0.92	0.92
Phosphoric acid	0.03				
Potash	0.08	0.03	0.07		0.25

^{*} Not determined.

The three samples having the highest per cent. of organic matter in their water-free state represent mucks which should have considerable value as absorbents in trenches and as material for composting with manure.

TOBACCO STEMS AND DUST.

Three samples were analyzed as follows:

10540. Tobacco Dust. Sent by Walter Mitchell, New Haven.

11434. Tobacco Dust. Sent by Morgan and Dickinson, Windsor.

9755. Tobacco Stems. Sent by the Shaker Farms, Enfield.

Station No	10540	11434	9755
Nitrogen	1.32	2.24	1.86
Phosphoric acid	0.28	0.81	0.26
Potash (total)	. 1.62	3.09	3.55

LIME FERTILE AND NITRO-FERTILE.

These are two fertilizers made by the Fertile Chemical Co., Cleveland, Ohio, and entered for sale in this state. Their analyses follow: 11172. Nitro-Fertile, sent by the manufacturer.

11182. The same brand sent by the James Swan Co., Seymour.

10579. Lime-Fertile. Sent by the manufacturer.

10896. The same brand. Sampled from stock of A. R. Brewer, Hartford.

	11172	11182	10579	10896
Nitrogen as nitrates	. 2.36	2.24		
Total nitrogen	2.36	2.24	0.02	
Phosphoric acid	3.39	3.21	3.48	3.35
Water-soluble potash	4.26	4.04	0.05	
Lime			42.14	
Magnesia			8.80	

Both materials are sold in small packages for household and greenhouse use.

MISCELLANEOUS MATERIALS.

10526. "Dust." Sent by D. H. Morgan, Southport, and stated to be a commercial product selling for \$10.00 per ton.

11140. "Blower Dust." Sold by the Berkshire Fertilizer Co., Bridgeport. Sampled by Station Agent from stock of W. N. Pinney, Rockville. Price \$37.50 per ton.

Analyses.	10526	11140
Total nitrogen	2.65	4.51
Phosphoric acid	1.02	10.13
Potash	1.03	0.40

9694. Marine Mud. Sent by J. W. Clark. Taken from the mouth of Oyster River, in Branford. It was asked whether the material had sufficient agricultural value to make it worth handling. It contained 54.11 per cent. of water and 41.02 per cent. of mineral matter, 0.16 of nitrogen and 0.08 of phosphoric acid. Obviously, material like this which contains 95 per cent. of valueless material cannot be profitably handled.

10841. Alphano Humus. Sent by Edith L. Gilbert, Kent, asking if it is as advertised in Ross Brothers Catalogue, a copy of which was sent with it.

It is there stated to be "a perfectly balanced soil ration that unfailingly produces immediate and long enduring fertility."

"The potash it contains alone is worth the price." The price quoted is \$20.00 per ton.

It contained 2.21 per cent. of nitrogen, 1.16 of phosphoric acid and 0.08 per cent. of potash.

At current prices "the potash it contains alone is worth" about 56 cents.

In respect of the claim as to potash it is, therefore, not at all as advertised by the seller. His claim may not, however, be the same as that of the manufacturer.

10609 is a mixture of hen manure and acid phosphate, sent by W. N. Peck, Mt. Carmel.

10887 is soil from an old hen yard mixed with some ground limestone, sent by F. H. Saxton, Bristol.

Analyses.	10609	10887
Nitrogen as ammonia	0.21	
Organic	1.20	
Total	1.41	0.32
Phosphoric acid	5.64	0.58
Water-soluble potash	0.39	0.09

10697. Tea and Coffee Waste. A sample of material which had been exhausted in the preparation of caffein, sent by J. Carle & Sons, 153 Water St., New York., contained about 50 per cent. of water. It also contained 1.16 per cent. of nitrogen, 0.26 phosphoric acid and 0.31 per cent. of total potash.

10003. Copper in Horse Manure. Horse manure sent by C. M. Jarvis, Berlin, who reported that it did not heat readily. Sawdust had been used for litter in the stable from which the manure was bought. Copper was found in the manure which suggested that the stable had used for bedding sawdust from a factory where brass parts were cleaned by mixing sawdust with them in a tumbling barrel.

9747. "Potash from Feldspar." Feldspar treated in a furnace with magnesian limestone, coal dust and peat.

It contained 0.20 per cent. of nitrogen and 0.21 per cent. of potash soluble in acid. The treatment has obviously been of no marked effect in making the potash soluble.

10951. Treated Garbage. A sample of garbage specially treated to promote bacterial action. From Prof. S. C. Prescott, Mass. Institute of Technology.

11267. Sample from the Bridgeport Garbage disposal plant, sent by J. S. Holmes, Bridgeport.

10951	11267
Nitrogen 0.85	1.00
Phosphoric acid 1.19	1.64
Potash	0.07
Insoluble in acid 56.32	
The Bridgeport garbage contained	
Water	. 30.35
Organic and volatile	. 22.86
Mineral matter	
	100.00

OTHER MISCELLANEOUS SAMPLES.

Fifty samples of soil have been tested for lime requirement, and ten samples of various materials which seem to have no general interest are not further noticed in this report.

REGARDING THE CHEMICAL ANALYSIS OF SOILS.

The Station is constantly receiving samples of soil, ranging in size from a few teaspoonsful to a pint or more, taken from a garden or a particular field. The senders usually ask for an analysis which will show what elements of plant food are deficient or lacking in the soil, or they wish to know what crops can be most successfully grown on it. Analyses of such samples cannot furnish the information which is asked for.

Chemical analysis does not as a rule show with definiteness what a particular soil needs in the way of plant food to make it productive. An analysis shows the kind and quantity of the elements which are in a soil, but cannot show what elements and how much of them are readily available to crops. It is just this information, however, which we need.

With the rarest exceptions, our soils contain every element of plant food and in amount sufficient to produce many crops. Sometimes this food is not in sufficiently available form, but more often, other conditions prevent the crop from utilizing it. There may, moreover, be sufficient available plant food for some crops and not enough for others.

Experience teaches that the mechanical condition of the soil, its water-supply and water-holding capacity, its drainage, temperature

and aeration more largely affect the success of a crop than the chemicals or fertilizers added at planting time.

The good effects of stable manure, which are out of all proportion to the amount of plant food in it, are due in part to its effect on the other factors of fertility which have just been named.


If a soil is not sufficiently underdrained, if its mechanical condition is either too open or too close, or if it is not adapted to the particular crop which is being raised upon it, then it will not yield satisfactorily, no matter what fertilizers are applied to it. But on all these points a chemical analysis gives no information.

The trouble with many soils which give unsatisfactory returns being their physical condition rather than their chemical composition, it is as hopeless to search for the trouble by chemical analysis as it would be to try to determine why a man was unwell by a chemical analysis of a part of his body. If a soil is not sour, if it has the right texture, if it contains sufficient water and is not exposed to drought, if the weather conditions are favorable and the tillage is properly managed, then in most cases here in Connecticut fertilizers will give an increased yield, but if the conditions just mentioned are unfavorable, no amount of fertilizer will increase the crop.

The first thing to consider, if a soil is unproductive, is the water supply, which may be improved by irrigation, by thorough and intelligent tillage, and also by the increase of humus, which is to be secured from manure or by green manuring. Next, the probable need of lime should be regarded, and with it should always go more attention to increase of humus.

When all other factors of fertility have been made as favorable as possible, then and not till then should the question of the use of chemical fertilizers be considered.

Whether a soil is relatively deficient in quickly available potash, nitrogen, or other element of plant food, can best be determined by actual experiments made with the different forms of plant food on the land itself. Regarding such experiments this Station is prepared to offer suggestions to any who are willing to undertake them. This deficiency in available plant food cannot be determined by any chemical laboratory tests at present known.



5339 57









